Journal of Physics B: Atomic and Molecular Physics
Volume 5, 1972

Volume 5
1972
Pages L1–264, 1–2370

Journal of Physics B

Atomic and Molecular Physics

A Europhysics Journal
published by
The Institute of Physics

Copyright © 1972 by The Institute of Physics and individual contributors. All rights reserved. Multiple copying of the contents or parts thereof without permission is in breach of copyright, but permission is hereby given to copy titles and abstracts of papers and names of authors. Permission is usually given upon written application to the Institute to copy illustrations and short extracts from the text of individual contributions, provided that the source (and, where appropriate, the copyright) is acknowledged.

Published by The Institute of Physics, 47 Belgrave Square, London SW1X 8QX, England, in association with the American Institute of Physics.

Printed in Great Britain by J W Arrowsmith Ltd. Set in 10/12 pt Times New Roman.

Journal of Physics B: Atomic and Molecular Physics

Honorary Editor

Professor M J Seaton PhD FRS

Editorial Board

Professor P G Burke PhD
Professor A G Gaydon DSc FInstP FRS
Professor J H Hasted MA DPhil
Dr P F A Klinkenberg
H G Kuhn MA DPhil DSc FRS
Professor Dr W Lochte-Holtgreven
F Mandl DPhil FInstP
Professor I M Mills DPhil
A N Prasad PhD
P G H Sandars MA DPhil
Professor G W Series MA DPhil *Deputy Chairman*

Managing Editor

D G Fisher PhD FInstP

Assistant Editor

R D Kershaw BSc

BLANK
PAGE

Contents

NO 1 JANUARY 1972

LETTERS TO THE EDITOR

L1 *M J Seaton and P M H Wilson* · A frozen cores approximation for atomic structure calculations
L4 *D T Pegg* · Semi-classical theory of radiofrequency transitions in a dressed atom
L6 *A R Holt* · On the simplified second born approximation
L8 *G E Caledonia and R E Center* · A comment on the vibrational relaxation of anharmonic oscillators
L12 *H-J Beyer and H Kleinpoppen* · Fine structure measurement in He^+, $n = 4$: II. Intervals S–D and Lamb shift $P_{3/2}$–$D_{3/2}$
L15 *D Andrick, M Eyb and H Hofmann* · A cusp in low energy electron–sodium scattering

PAPERS

1 *J Katriel and G Adams* · On the determination of hypervirial theorems
2 *G Bowtell* · Perturbation theory for the relativistic Hartree–Fock equations for atoms: II. The magnetic interaction
7 *R E Borland and K Dennis* · The conditions on the one-matrix for three-body fermion wavefunctions with one-rank equal to six
16 *K K Datta and A K Barua* · Contributions of the non-spherical interactions to the third virial coefficient of a polyatomic gas
27 *A V Matvijenko and L I Ponomarev* · Number of vibrational levels of the molecular hydrogen ion
29 *J Bauche and M Klapisch* · Remarks on Brillouin's theorem in the atomic variational approach
37 *P G Burke, A Hibbert and W D Robb* · Wavefunctions and oscillator strengths for the beryllium iso-electronic sequence
44 *P G Burke and W D Robb* · Elastic scattering of electrons by hydrogen and helium atoms
55 *D C S Allison, P G Burke and W D Robb* · *R*-matrix theory of atomic polarizabilities
66 *R I Hall, J Reinhardt, G Joyez and J Mazeau* · Near threshold electron impact excitation functions for the $n = 2$ states of helium by the trapped-electron method
74 *K Zankel* · Collisions in a parallel atomic beam
80 *G C Angel and R A Giles* · The velocity distribution of atoms issuing from a multi-channel glass capillary array and its implication on the measurement of atomic beam scattering cross sections
89 *J J Janssen and J D Craggs* · Collisional-radiative decay of spark channels in hydrogen
95 *I W Larkin and J B Hasted* · Electron transmission studies of decay channels of molecular resonances
110 *G Wendin* · Collective effects in atomic photoabsorption spectra: II. $5p^6$ shell in Xe
133 *A V Durrant* · The coherence properties of scattered light in a level crossing experiment
146 *R P Netterfield, R W Parsons and J A Roberts* · An experimental study of the shapes of microwave spectral lines in gases at low pressures
168 CORRIGENDUM

NO 2 FEBRUARY 1972

LETTERS TO THE EDITOR

L19 *J P Coleman* · Comments on Pradhan's 'impulse approximation'

L20 *M W Lucas and K G Harrison* · Beam foil Auger spectroscopy
L23 *R W Lee* · Ion dynamic correction to forbidden line profiles
L26 *M J Jamieson* · Time dependent Hartree–Fock treatment of elastic scattering of electrons by H and He^+
L30 *R J Drachman* · The method of models in variational scattering calculations
L33 *E W Smith, J Cooper and C R Vidal* · Comments on the validity of the unified classical path theory of stark broadening
L35 *M Sassi and G Coulaud* · Calculated ionic profiles in the region of the forbidden component CsI (6G–5D)
L38 *V M Trivedi and V B Gohel* · Dissociation energy of the IO molecule
L40 *J L Campbell* · On recent measurements of the Coster–Kronig probability f_{23} in the region $Z \geqslant 90$
L44 *C R Lloyd, P J O Teubner, E Weigold and S T Hood* · Excitation of the first excited state in argon by electron bombardment

PAPERS

169 *E A Mason, H O'Hara and F J Smith* · Mobilities of polyatomic ions in gases: core model
177 *R K Janev and A Salin* · Exchange interaction between ionic and covalent states of two atoms at large distances
184 *M Cohen, R P McEachran and D Rosenthal* · Length and velocity matrix elements in quadrupole transition calculations
193 *M Cohen, T Feldmann and R P McEachran* · Improved lower bounds to energy levels
199 *D C Jain* · Einstein *A* coefficients, band oscillator strengths and absolute band strengths for the comet-tail band system of CO^+
204 *R K Hinkley, J A Hall, T E H Walker and W G Richards* · A doubling in $^2\Pi$ states of diatomic molecules
213 *V L Jacobs* · Magnetic-quadrupole decay of the low-lying n^3P_2 states of helium like ions
218 *M Wilson* · *Ab initio* calculation of core relaxation and screening effects on $|\psi(0)|^2$ for Sm and Eu
229 *L Veseth* · Fine structure of $^3\Pi$ and $^3\Sigma^-$ states in diatomic molecules
242 *Vo Ky Lan* · Polarized pseudo state calculations for a complex atom
250 *S P Gupta, A K Srivastava and B Krishna* · On the usefulness of Harris' equation in semi-empirical LCAO–MO approximations
255 *F H Read* · Branch structure in rotational excitation by resonant electron–molecule collisions
265 *M B Hidalgo and S Geltman* · Theory of fine structure transitions in excited rubidium atoms colliding with rare gas atoms
277 *R A Bain and J N Bardsley* · Shape resonances in atom–atom collisions: I. Radiative association
286 *D L Moores* · Electron impact ionization of positive ions with configuration $1s^22s^22p^4$
299 *Y C Liew and B L Moiseiwitsch* · Fredholm and Padé approximation for coupled channels in scattering theory
309 *W D Davison and Y C Liew* · A calculation of the interaction potential and hyperfine shift in HeH
321 *E Gerjuoy, B K Thomas and V B Sheorey* · Glauber calculations of polarization of Lyman-α resulting from e^-–H(1s) collisions
334 *M R Flannery* · A semiquantal treatment of hydrogen–hydrogen excitation and ionization collisions
346 *B Michalík* · An application of the distortion operator method to elastic scattering
355 *A S Dickinson, R E Roberts and R B Bernstein* · Ion–atom association reactions in the rare gases
366 *B C Fawcett and R W Hayes* · The classification of Ni XI to XVII and Co X to XVII emission lines from $3s^23p^n$–$3s3p^{n+1}$ and $3p^n$–$3p^{n-1}3d$ transitions and the identification of nickel solar lines
371 *J B Cole and J H Sanders* · Spectral profile measurements of amplified spontaneous emission by a heterodyne method
377 *J A Piper and W J Sandle* · The effect of resonant collisions on the lifetime of the 6^3P_1 state in mercury

386 *J M Pendlebury and D B Ring* · Ground state hyperfine structures and nuclear quadrupole moments of ^{95}Mo and ^{97}Mo
397 *G A Tsongas, S P Koutsoyannis and K Karamcheti* · Experimental determination of the Lennard–Jones constants for the 1·15 μm ($2p_4$–$2s_2$) transition of neon 22
402 *J R Howorth* · The excitation mechanism for the $c^3\Pi_u$ state of nitrogen in a glow discharge
408 *J O P McBride and R W Nicholls* · The vibration–rotation spectrum of ammonia gas I
418 *G B Deodhar and S Rai* · Systematic study of screening doublets in x ray satellite spectra

NO 3 MARCH 1972

LETTERS TO THE EDITOR

L49 *N Urata and T Watanabe* · Reply to the comment on Pradhan's impulse approximation
L51 *J Nuttall and R W Stagat* · The on-shell coulomb T matrix
L53 *D Richards* · Transition amplitudes for transitions between highly excited states
L55 *P W King and R C M Learner* · On the suppression of levels of high principal quantum number when using intense flash background sources
L58 *P G Fournier, J Appell, F C Fehsenfeld and J Durup* · Validity of Franck–Condon principle for $H^+ \rightarrow H^-$ double charge transfer of fast protons on H_2 at low scattering angle
L63 *R Shakeshaft and J Macek* · A note on the scattering matrix in the impact parameter approximation

PAPERS

425 *J Raftery and W G Richards* · The electronic structure of HF^+
432 *K R Devine and A L Stewart* · A perturbation calculation on helium
438 *T L John* · Variational principles for the phase function method
445 *D T Birtwistle and A Modinos* · Dissociative attachment in hot molecules
466 *N H March and R J White* · Non-relativistic theory of atomic and ionic binding energies for large atomic number
476 *R J Bell, D R B Bish and P E Gill* · Separate subshell contributions to the stopping power of rare gases
483 *R Gayet* · Charge exchange scattering amplitude to first order of a three body expansion
492 *C Bottcher and M Oppenheimer* · Nonresonant charge-capture: $Na^+ + Li \rightleftharpoons Na + Li^+$
497 *A R Holt and B Santoso* · A Fredholm integral equation method for scattering phase shifts
508 *P McCavert and M R Rudge* · On cross sections for the excitation of the alkalis, Li, Na and K by electron impact
514 *T L John* · The free–free transitions of Li^-
517 *K L Bell and A E Kingston* · The ionization of helium like ions by high energy photons
525 *J Chaudhuri, D M Bhattacharya and N C Sil* · 3s and 3p excitations of atomic hydrogen by proton and α-particle impact
533 *R Damburg and R Propin* · The effect of 2s–2p close coupling on the cross section for excitation of the 2p state of the hydrogen atoms by electrons at high energies
537 *B H Bransden and J P Coleman* · The use of second order potentials in the theory of the scattering of charged particles by atoms: I. General theory
546 *B H Bransden, J P Coleman and J Sullivan* · The use of second order potentials in the theory of scattering of charged particles by atoms: II. Electron and proton scattering by hydrogen atoms
559 *R Shakeshaft* · Formulation of the impact parameter method for general atom–atom collisions
571 *F P Larkins* · Correlation diagrams: their use in the interpretation of heavy ion–atom inelastic collisions
579 *J S Briggs and J Macek* · The production of K shell vacancies in symmetric ion–atom collisions
589 *S Hara* · Behaviour of positrons in molecular gases: I. Rotational excitation of molecules by slow positrons

599 *H S W Massey, J Lawson and S Hara* · Behaviour of positrons in molecular gases: II. Dependence of annihilation rates of positrons in rare gases on the presence of molecules
609 *P S Grover and M P Srivastava* · Temperature dependence of positron annihilation in helium, neon and argon
617 *M B Hidalgo and S Geltman* · A high energy approximation: III. Helium excitation by electrons
627 *C B Opal and E C Beaty* · Measurements of large angle inelastic scattering cross sections for electrons on helium
636 *V Dose and R Gunz* · Electron loss from metastable hydrogen
648 *A G Robertson* · The momentum transfer cross section for low energy electrons in neon
665 *M H Dunn* · Electron densities and drift velocities in a positive column He–Cd laser discharge
673 *A H Gabriel and T M Paget* · Measurement and interpretation of dielectronic recombination satellite line intensities
686 *A Corney and O M Williams* · Measurement of the radiative lifetime of the $^1S_0$ metastable level of atomic oxygen
701 *W R Newell and K J Ross* · High resolution study of the electron impact spectrum of zinc vapour at kinetic energies 50–150 eV and in the angular range 0°–11°
710 *G B Deodhar and S Rai* · X ray satellite emission by single electron jump
714 *N S Murthy and B N Murthy* · Intensity measurements and relative band strengths of the bands of (B → X) system of lanthanum oxide
720 CORRIGENDA

NO 4 APRIL 1972

LETTERS TO THE EDITOR

L67 *V L Jacobs and P G Burke* · Photoionization of helium above the $n = 2$ threshold
L70 *M B Hidalgo, J H McGuire and G D Doolen* · Glauber calculation of electron–hydrogen ionization cross sections
L73 *R J Fortner, R C Der, T M Kavanagh and J D Garcia* · Variation of copper L shell fluorescence yield in ion–atom collisions
L76 *R D Rundell* · Proton production in collisions between electrons and H_2^+ ions
L79 *E Roueff* · The pressure broadening of Na I 5889 Å and 5895 Å by thermal and high temperature neutral helium

PAPERS

721 *N Björnå* · Perturbation approach for solving constrained SCF–LCAO–MO equations: I. The general theory
732 *N Björnå* · Perturbation approach for solving constrained SCF–LCAO–MO equations: II. Application to a calculation on N_2
741 *S T Epstein* · An adiabatic theorem for variational wavefunctions
746 *S Hameed* · Core polarization corrections to oscillator strengths and singlet–triplet splittings in alkaline earth atoms
761 *C R Sarma* · Semiempirical evaluation of single bond properties in diatomic molecules
766 *K M S Saxena* · Numerical Hartree–Fock self-consistent-field wavefunctions for Pb^{4+}
768 *K M S Saxena, B W N Lo and S Fragga* · Complete orbit–orbit interaction in many-electron atoms
773 *K E Banyard and A Sutton* · Assessment of one centre and poly centre molecular wavefunctions
790 *C J Chapman and A Herzenberg* · Dissociative attachment and a resonance near an excitation threshold
810 *R J Tweed* · Correlated wavefunctions for helium-like atomic systems
820 *R J Tweed* · Analytic integrals for collision theory

825 *C B O Mohr* · Channel coupling and atomic polarization in electron collisions with mercury atoms
832 *P McCavert and M R H Rudge* · On the identification of some lines arising from doubly excited states of helium
839 *R E Robson* · The significance of high momentum-transfer collisions in ionized gases
849 *J D E Beynon and P G Brooker* · The determination of the electron collision cross sections for momentum transfer of argon and potassium by measuring the DC conductivity of a high pressure plasma
860 *B Peart and K T Dolder* · Collisions between electrons and H_2^+ ions: II. Measurements of cross sections for dissociative excitation
866 *N Ahmad and M H Key* · Plasma temperature in laser pulse induced gas breakdown
878 *S Stenholm* · Saturation effects in RF spectroscopy: I. General theory
890 *S Stenholm* · Saturation effects in RF spectroscopy: II. Multiple quantum transitions
896 *R E Imhof, F H Read and S T Beckett* · Determination of the transition moment of the $b^1\Sigma^+ - x^1\Sigma^+$ transition in CO

NO 5 MAY 1972

LETTERS TO THE EDITOR

L83 *A R G Jackson* · Excitation of a C II line observed in quasars
L87 *M Le Dourneuf, H E Saraph, M J Seaton and Vo Ky Lan* · A critical discussion of previous close-coupling calculations for atomic oxygen
L91 *M J Seaton* · A frozen cores approximation for the nine lowest parity levels of C I
L94 *J C Poizat and J Remillieux* · Channelling effects on the transmission of MeV H_2^+ ions through a thin gold single crystal
L98 *T Biaz and D W Pham* · Comments on the use of the 'escape factor' in plasma spectroscopy
L101 *H B Gilbody, W G F Blair, F R Simpson and R W McCullough* · Excitation in fast He–He collisions: the influence of metastable atoms
L104 *N A Hutton and M J Roberts* · A note on the off-shell Coulomb *T* matrix: II. Elastic e–H differential cross sections
L107 *D R Bates and W R McDonough* · Deduction of classical binary encounter approximation from Born approximation
L110 *J Durup, J Appell, F C Fehsenfeld and P Fournier* · Collision-radiation-collision three-step processes, and a measurement of the probability ratio for neutralization of 4 keV protons into either H(2p) or H(s)

PAPERS

903 *N Tran-Minh and H Van Regemorter* · Quantum theory of Stark broadening by electrons
912 *W M Bryce and F Mandl* · A Kohn variational principle for three body break-up processes
921 *C A Coulson and J C Nash* · Transition moment integrals and the hypervirial theorem: I
927 *M Jackson, R P McEachran and M Cohen* · The frozen-core approximation for diatomic molecules; the lowest $^1\Sigma^+$ states of H_2
934 *R Snyder* · A formula for relativistic atomic energies: II
943 *W C Fon and D F Gallaher* · Positron–hydrogen elastic scattering with inclusion of long range effects via a pseudostate expansion
950 *D C Lorents and G M Conklin* · Elastic and inelastic scattering in the $Li^+ + He$ system
963 *R Francois, D Dhuicq and M Barat* · Elastic and inelastic scattering of Li^+ ions by He
973 *R McCarroll and R D Piacentini* · Elastic and inelastic scattering in $Li^+ - He$ collisions
979 *A Salin* · Ionization of helium by proton impact
987 *W J Sandle and O M Williams* · A classical approach to coherence narrowing during multiple scattering of resonance radiation: general polarization case
997 *P C Pandey and S L Srivastava* · Collision broadening of 0,0 → 1,0 rotational line of $CH_3{}^{81}Br$: I. Broadened by polar molecules

1001 *C G Carrington, A Corney and A V Durrant* · Collision cross section for the neon 2p levels at 870K
1010 *Y Sakai, H Tagashira and S Sakamoto* · The variation of steady state electron mean energy between parallel plates in argon
1017 *B Ya'akobi, E V George, G Bekefi and R J Hawryluk* · Stark profiles of forbidden and allowed transitions in a dense, laser produced helium plasma
1031 *M Eidelsberg* · The term system of Be III
1038 *S B Rai, D K Rai and K N Upadhya* · Analysis of some bands of the system of PO
1048 *D R Gray and J A Rees* · The lateral diffusion of mass identified positive ions in oxygen
1056 *O J Orient* · The mobility of mass-identified D^+ ions in helium gas

NO 6 JUNE 1972

LETTERS TO THE EDITOR

L115 *R Shakeshaft* · Low energy scattering by the r^{-3} potential
L118 *B Maier II and R F Holland* · Electronic transition moment for the comet tail system of CO^+
L121 *T L John* · The photodetachment cross section of Li^-
L124 *G Solt and J Kolláar* · Approximate analytical wavefunctions for the iron group elements
L129 *K Dolder and B Peart* · Comments on Rundel's discussion of proton production by collisions between electrons and H_2^+
L132 *R F Barrow and M R Hitchings* · The $\Omega = 1,0^+$ separation in the $^3\Sigma^-$ ground state of gaseous TeO
L134 *M Mohan and R K Thareja* · Multiphoton ionization of atomic hydrogen in the presence of an intense electromagnetic field

PAPERS

1059 *P L Altick* · A simple, radially correlated ground state wavefunction for two electron atoms
1062 *C S Sharma and G Bowtell* · The exact evaluation of certain partial sums of the second order energies of atoms: I. The ground and the singly excited states
1071 *P W Langhoff and A C Yates* · Moment theory bounds on the mean energies of stopping, straggling, and molecular excitation
1083 *J E Hansen* · Hartree–Fock predictions of the ^1P term in the p^5d configurations of the spectra in the Ar I and Kr I isoelectronic sequences
1096 *J E Hansen* · Hartree–Fock calculations for the $4d^95s^25p^64f$ configuration in La IV
1101 *S P Gupta and B Krishna* · The detailed analysis of the 10c-ω technique
1104 *O Novaro and M Berrondo* · Approximate symmetry of the periodic table
1111 *E Holøien and J Midtdal* · Application of the multiconfiguration energy bound method to the Freshbach-type $^{1,3}P^a$ autoionization states of He
1120 *R S Oberoi* · Auto-ionization states of two electron atoms
1126 *J Wykes* · The variation with electron scattering angle of the polarization of atomic line radiation excited by electron impact
1138 *J W Humberston and J B G Wallace* · The elastic scattering of positrons by atomic hydrogen
1149 *J Mizuno* · Use of the sturmian function for the calculation of the third harmonic generation coefficient of the hydrogen atom
1155 *V L Jacobs and J Mizuno* · Interaction of laser light with the 2^1S_0 metastable state of helium
1160 *E Stingl* · The ionization of boron and the isoelectronic ions carbon II, nitrogen III, and oxygen IV by electron impact
1175 *W Allison, F B Dunning and A C H Smith* · Secondary electron ejection from metal surfaces by metastable atoms: III. Energy and angular distributions of the ejected electrons

1186 *P G Brooker and J D E Beynon* · The determination of the collision cross section for momentum transfer of nitrogen by two different experimental techniques
1192 *F G Donaldson, M A Hender and J W McConkey* · Vacuum ultraviolet measurements of the electron impact excitation of helium
1211 *D L McCorkle, L G Christophorou and V E Anderson* · Low energy ($\lesssim$1 eV) electron attachment to molecules at very high gas densities: O_2
1221 *R W Parsons, V I Metchnik and I C Story* · Pressure induced shifts of the $(J, K) = (12, 12)$ inversion line in the microwave spectrum of ammonia
1236 *J Dutton and J M Powell* · The influence of gas sampling techniques on measurements of pre-breakdown ionization in helium
1241 *V Hasson, A J D Farmer and R W Nicholls* · Application of dispersion techniques to molecular band intensity measurements: I. Principles of 'fringe shift' and 'fringe slope' band analysis procedures
1248 *V Hasson, A J D Farmer, R W Nicholls and J Anketell* · Application of dispersion techniques to molecular band intensity measurements: II. Oscillator strength of the (0, 0) band of NO-γ ($A\ ^2\Sigma$-$X\ ^2\Pi$) system
1255 *B C Fawcett, R D Cowan, E Y Kononov and R W Hayes* · The classification of transitions between levels of principal quantum numbers 3 and 4 in Fe IX to XVI and Mn VIII to XV
1270 CORRIGENDUM

NO 7 JULY 1972

LETTERS TO THE EDITOR

L137 *P Gruyić* · A classical calculation of e–H collisions ionization threshold law
L140 *C Foster, I H Wilson and M W Thompson* · Elastic scattering of 5-90 eV neutral gold atoms by argon
L143 *M O Krause and F Wuilleumier* · Photoionization of helium: study of $He+h\nu = He^+(n = 2)+e$

PAPERS

1271 *R W Lee* · Self-energy expansion for line-broadening
1286 *I Rebelo and C S Sharma* · A theorem on the Hatree–Fock equations for the *nsns* ^1S states of helium with orthogonal orbitals
1293 *J Raftery, P R Scott and W G Richards* · Energy levels in linear molecules: the inapplicability of Hund's rules
1302 *C Froese Fischer* · Term dependence of Hartree–Fock results for some *nln'l* configurations
1308 *P F Naccache* · Matrix elements and correspondence principles
1320 *M J Woollings and M R C McDowell* · Collisions of fast electrons with helium: I. Various forms of the second Born approximation
1332 *C Foster, I H Wilson and M W Thompson* · Ion–atom scattering and interatomic potentials for ions of noble metals and period II elements incident on neon and argon with energies in the range 8–25 keV
1343 *M Barat, D Dhuicq, R Francois, R McCarroll, R D Piacentini and A Salin* · Inelastic processes in He^+–He collisions
1351 *S Kastner, T S Smith, C Wade and M Blaha* · Electron excitation cross sections for Si XII
1359 *F H Read* · The least squares method for unbound states
1369 *S Saha, K Mullick and A K Barua* · Effect of dipole moment on the collision induced dissociation of HD^+ ion by electron impact
1381 *K Mullick, C S Roy and A K Barua* · Distortion polarization of orbitals and the asymmetry in the forward–backward scattering fragments from dissociation of $(HeH)^+$ ion
1386 *K Bergmann and W Demtröder* · Inelastic collision cross section of excited molecules: II. Asymmetries in the cross section for rotational transitions in the $Na_2(a\ ^1\Pi_u)$ state
1396 *G Gerber, R Morgenstern and A Niehaus* · Ionization processes in slow collisions of heavy particles: I. He and He^+ on Ne, Ar, Kr, and Xe

1412 *V Dose and R Gunz* · Electron capture by metastable hydrogen
1417 *J C McCallum and R W Nicholls* · Relative intensity measurements on the Fox–Duffendack–Baker ($A^2\Pi_u - X^2\Pi_g$) and the ultraviolet doublet ($B^2\Sigma_u^+ - X^2\Pi_g$) band systems of CO_2^+
1427 *P C Pandey and S L Srivastava* · Self broadening of microwave spectral lines of the slightly asymmetric top molecule CH_2F_2

NO 8 AUGUST 1972

LETTERS TO THE EDITOR

L147 *R Snyder* · Z-expansion coefficients and the number of electrons
L151 *M B Doran* · The multipole long range (Van der Waals) interaction coefficients for neon
L153 *M Caby-Eyraud and Nguyen-Hoe* · About the electronic shifts of the Stark broadened Lyman-α lines
L157 *M Badawi, N Bessis and G Bessis* · On the introduction of the rotation–vibration coupling in diatomic molecules and the factorization method
L160 *K E Banyard, M Dixon and A D Tait* · Influence of electron correlation on vibrational and rotational constants for HeH^+
L164 *M J Woollings* · Collisions of fast electrons with helium: II. Identities satisfied by the second Born scattering amplitude
L167 *K F Canter, P G Coleman, T C Griffith and G R Heyland* · Measurement of total cross sections for low energy positron–helium collisions
L170 *R S Baker and W Gough* · Observation of modulation in Hg–Cd sensitized fluorescence
L172 *R F Barrow, M A H Dudley, M R Hitchings and K K Yee* · The electron spectrum of gaseous TeS

PAPERS

1431 *D C S Allison, P G Burke and W D Robb* · Van der Waals coefficients for atomic systems involving non-spherical atoms
1439 *J D G McWhirter and B L Moiseiwitsch* · Generalizations of the virial theorem in collision theory
1456 *A V Durrant* · An application of the concepts and methods of linear systems analysis to the scattering of resonance radiation by an atomic vapour
1470 *M Badawi, N Bessis et G Bessis* · Calcul des intensites de vibration–rotation d'une molecule diatomique par la methode de factorisation
1478 *L A Parcell* · Solution of differential equations for exchange matrix elements in heavy particle collisions
1482 *D L Moores and D W Norcross* · The scattering of electrons by sodium atoms
1506 *Vo Ky Lan, N Feautrier, M Le Dourneuf and H Van Regemorter* · Cross sections calculations for electron–oxygen scattering using the polarized orbital close coupling theory
1517 *V Sidis* · Some energy curves of ArH^+ and their use in the study of scattering of H^+ by Ar
1529 *K C Mathur, A N Tripathi and S K Joshi* · Electron loss in atom–molecule collisions
1533 *M Abignoli, M Barat, J Baudon, J Fayeton and J C Houver* · Differential measurements on ion–atom collisions in the energy range 500–3000 eV: IV. H^+–noble gas atom collisions
1554 *B Peart and K T Dolder* · Collisions between electrons and H_3^+ ions: III. Measurements of proton production cross sections at low energies
1559 *H Ehrhardt, K H Hesselbacher, K Jung and K Willmann* · Collisional ionization of helium by slow electrons
1572 *C G Carrington* · Cascade effects in neon life time measurements
1583 *B W Soole* · The effect of target absorption on the attentuation characteristics of bremsstrahlung generated at constant medium potentials
1596 *M Even-Zohar and B S Fraenkel* · A study of EUV spectra in the fifth period

1614 *P K Carroll and K Yoshino* · The $c_u\ ^1\Pi_u$ and $c'_u\ ^1\Sigma_u^+$ Rydberg states of N_2: high resolution studies
1634 *P K Carroll, C C Collins and J T Murnaghan* · Rotational studies of the Gaydon–Herman (green) bands of N_2

NO 9 SEPTEMBER 1972

LETTERS TO THE EDITOR

L175 *M J Seaton and P M H Wilson* · A polarized core approximation for atomic structure calculations
L178 *J N Bardsley and B R Junker* · Complex coordinate space calculations for resonant states
L181 *J J Labarthe* · Brillouin's theorem for inter-shell correlations in the atomic Hartree–Fock method
L183 *S S Lipovetsky and V S Senashenko* · On the character of the interference of resonances with a continuum in the spectra of electrons ejected from atoms by protons
L187 *J d'Incan, C Effantin et R Bacis* · Nouveaux spectres électroniques attributés aux molécules LuH et LuD
L189 *J d'Incan, C Effantin et R Bacis* · Spectre électronique de la molécule LuF
L191 *S G Shah, M M Patel and A B Darji* · A new band system of molecular BaI in the region λ4300–λ4500 Å

PAPERS

1665 *J Killingbeck* · Commutator techniques in perturbation theory
1662 *T L John and A R Williams* · The continuous absorption coefficient of alkali metal negative ions
1676 *K K Datta and A K Barua* · Contributions of nonspherical and nonadditive molecular interactions to the third virial coefficient of a diatomic and polyatomic gas
1681 *N R Tawde and V G Tulasigeri* · Franck–Condon factors and *r* centroids of the $^2\Sigma^+$–$x^2\Sigma^+$ band system of AlO using RKR potentials
1688 *E Stingl* · The effect of correlation in the target wavefunction of the ionization of helium
1696 *P G Burke and N Chandra* · Electron–molecule interactions: III. A pseudo-potential method for e^-–N_2 scattering
1712 *C R Lloyd, E Weigold, P J O Teubner and S T Hood* · Excitation functions for the formation of metastable He and Ar by electron impact
1719 *J B Hasted and G L Awad* · Electron impact ionization of ions trapped in a hollow electron beam
1735 *G V Marr and S R Wherrett* · The ionization of caesium vapour by the method of space charge amplification
1744 *R Düren, A Frick and Ch Schlier* · Glory undulations of some alkali–molecule systems
1756 *D D Burgess and R Mahon* · Observed discrepancies in the central region of the Hβ profile at low electron densities
1762 *I C Plumb, D Smith and N G Adams* · Formation and loss of O_3^+ and O_4^+ ions in krypton–oxygen afterglow plasmas
1773 *A J Cunningham and R M Hobson* · Dissociative recombination at elevated temperatures: I. Experimental measurements in krypton afterglows
1784 *B Narayana and W C Price* · Ionization of the σ*2s orbital of NO configuration interaction effects on the spin-split states arising from inner orbital ionization in paramagnetic molecules
1790 *M K Gupta and A K Nigam* · X ray K absorption edge of zinc in some of its compounds
1794 *H Mendel* · A theoretical interpretation of the x ray emission spectra of covalent compounds
1810 CORRIGENDUM

NO 10 OCTOBER 1972

LETTERS TO THE EDITOR

L193 *Y-Kim and P S Bagus* · Oscillator strengths for the resonance transitions in alkaline earth atoms
L196 *F H M Faisal* · Multiphoton ionization of hydrogenic atoms and the breakdown of perturbative calculations at high intensities
L199 *Joseph C Y Chen and Lars Hambro* · Glauber type eikonal approximation for 'angle' trajectories
L205 *Joseph C Y Chen, Takeshi Ishihara, Victor H. Ponce and Kenneth M Watson* · Differential cross sections in the $p^+ - H$ collisions
L207 *D R Flower and J M Launay* · On the validity of the distorted wave method in electron–atom collision theory
L211 *T Kobayashi and S Shimizu* · 100 and 200 keV position scattering by atomic nuclei
L214 *V Martišovitš and I Košinár* · A note on the time-of-flight technique of the detection of metastable atoms
L127 *T J McIlrath and R J Sandeman* · Revised absolute absorption cross sections of Ca I at 1886·5 and 1765·1 Å
L220 *D D Burgess and T J McIlrath* · Equality of absorption and emission line shapes for the Stark broadened He II resonance line in a helium plasma

PAPERS

1811 *D Richards and M R C McDowell* · A dispersion relation for the Coulomb T matrix
1823 *R Peterkop and L Rabik* · Asymptotic expansions of double-continuum Coulomb wavefunction
1833 *Y P Varshni and C S Lam* · Wavefunction for the hydrogen molecular ion
1837 *H Nussbaumer* · Improved bound wavefunctions for complex atoms
1844 *M P Silverman and F M Pipkin* · Interaction of a decaying atom with a linearly polarized oscillating field
1861 *R J Damburg and R Kh Propin* · Rotational structure of the inversion spectrum of ammonia
1868 *P Lloyd* · Charge shifts in the formation of a covalent bond
1875 *J Mizuno* · Pseudo particle method for nonlinear polarizabilities and multi-photon processes
1884 *J Reinhardt, G Joyez, J Mazeau and R I Hall* · Electron impact threshold excitation of CO by the trapped-electron method
1890 *J Mazeau, F Gresteau, G Joyez, J Reinhardt and R I Hall* · Resonances in electron scattering from CO
1898 *A V Pavlichenkov and V S Senashenko* · The excitation of autoionized $^3P^{(-)}$ states and the resonance ionization of the helium atom by electron impact
1906 *S C McFarlane* · The polarization of characteristic x radiation excited by electron impact
1916 *E S Gillespie* · Simultaneous excitation and ionization of helium by electron impact
1922 *Y C Liew and B L Moiseiwitsch* · Fredholm–Padé approximation in scattering theory
1928 *G D Carse* · Low energy inelastic scattering of electrons by atoms
1938 *S P Khare and P Shobha* · Elastic scattering of electrons by hydrogen molecules
1950 *A B Rakshit, S K Bhattacharyya and A K Barua* · Transport properties and second virial coefficient of nonpolar–polar gas mixtures
1959 *F R Simpson and H B Gilbody* · Electron detachment in collisions involving 4–30 keV He^- and H^- ions
1965 *M Naon and M Cornille* · The importance of electronic correlations for the calculation of x ray and fast electron scattering by Ne (^1S)
1975 *F E Irons, R W P McWhirter and N J Peacock* · The ion and velocity structure in a laser produced plasma
1988 *T G Slanger and G Black* · Relative electronic transition moments for the triplet system ($d^3\Delta \rightarrow a^3\Pi$) of CO
1993 CORRIGENDA

NO 11 NOVEMBER 1972

LETTERS TO THE EDITOR

L225 *A M Ermolaev and M Jones* · The singlet-triplet correction in the structure of two-electron ions
L229 *M A Thomas and J W Humberston* · The polarization of helium
L233 *F H M Faisal* · Multiphoton ionization by circularly and linearly polarized light: II
L237 *R K Janev and Dž S Belkić* · Muonium formation in slow collisions of positive mesons with hydrogen atoms

PAPERS

1995 *L Hahn and I V Hertel* · Particle scattering by two level atoms in a strong radiation field
2016 *R K Hinkley, T E H Walker and W G Richards* · The variation of Λ doubling with rotational quantum number—BeH and BeD
2025 *J L A Francey and P K Stewart* · The effect of the two-term Lorentz approximation on the Townsend–Huxley diffusion experiment
2032 *E-K Kortela, E Suoninen, M Karras and R Manne* · Molecular orbital interpretation of the valence x ray emission of elemental sulphur S_8
2039 *S Singh and Y Singh* · Preaveraged potential model and equilibrium properties of polar gases
2051 *E Karule* · The spin polarization and differential cross sections in the elastic scattering of electrons by alkali metal atoms
2061 *J Sullivan, J P Coleman and B H Bransden* · The use of second order potentials in the theory of the scattering of charged particle by atoms: III. A four-channel approximation for electron and proton scattering by hydrogen atoms
2066 *M Capitelli and E Ficocelliv* · Collision integrals of oxygen atoms in different electronic states
2074 *P C Pandey and S L Srivastava* · Collision broadening of 0,0 → 1,0 rotational line of $CH_3{}^{81}Br$: II. Broadened by quadrupolar and non polar molecules
2085 *M Vujović, M Matić, B Cobić and Yu S Gordeev* · Attenuation method for fast ion beams: metastable state population and cross section measurements
2098 *K Bergmann and W Demtröder* · Inelastic cross sections of excited molecules: III. Absolute cross sections for rotational and vibrational transitions in the $Na_2(B\,{}^1\Pi_u)$ state
2107 *H Ehrhardt, K H Hesselbacher, K Jung, M Schulz and K Willmann* · Collisional ionization of helium by 250 eV electrons: experiments with completely determined kinematics
2117 *J D E Beynon and P G Brooker* · An experimental technique for the determination of the electron collision cross sections for momentum transfer of alkali metals at low electron energies
2123 *R A Giles and J A Logan* · A versatile photo-etched velocity selector disc
2126 *T F O'Malley, A J Cunningham and R M Hobson* · Dissociative recombination at elevated temperatures: II. Comparison between theory and experiment in neon and argon afterglows
2134 *D Smith, A G Dean and I C Plumb* · Three-body conversion reactions in pure rare gases
2143 *B C Fawcett, R D Cowan and R W Hayes* · New classification of highly ionized Ni, Co, Cr, V and isoelectronic spectra
2152 *K B Garg, Q S Kapoor and A N Nigam* · $L\beta'_1$ satellite in the x ray spectra of rare earths

NO 12 DECEMBER 1972

LETTERS TO THE EDITOR

L241 *E H S Burhop* · The inner shell ionization of atoms by electron impact
L242 *R B Gerber* · Solution of the inversion problem for nonspherically symmetric separable potentials

L246 *N A Hutton* · A note on the off-shell Coulomb T matrix: III. Inelastic e–H differential cross sections
L250 *R K Janev and A R Tančić* · Recombination of H^+ and H^- ions in slow collisions
L253 *W Shearer-Izumi* · Comment on the 'excitation functions for the formation of metastable helium and argon by electron impact'
L254 *G C M King, A Adams and F H Read* · Polarization studies using the electron photon coincidence technique
L258 *F H M Faisal* · Multiphonon transitions: III. Rates of multi-photodetachment of negative ions
L262 *C Fred Moore, H H Wolter, R L Kauffman, J McWherter, J E Bolger and C P Browne* · High resolution of K x-ray spectrum of 30 MeV chlorine ion beam

PAPERS

2155 *J P Coleman* · Evaluation of a class of integrals by summing Legendre series: II. Integrands containing spherical harmonics
2168 *L Veseth* · Information from local perturbations in the spectra of diatomic molecules: the $A^3\Pi$–$b^1\Sigma^+$ perturbation in OH^+
2175 *D E Ramaker and J M Peek* · H_2^+ dipole strengths by asymptotic techniques
2182 *K R Devine and A I Stewart* · Perturbation corrections to Hartree–Fock oscillator strengths for helium
2187 *W Eissner and M J Seaton* · Computer programs for the calculation of electron–atom collision cross sections: I. General formulation
2199 *C Bottcher* · Long-range interactions in electron scattering: the threshold law for $n \rightarrow n+1$ transitions
2212 *P G Burke, N Chandra and F A Gianturco* · Electron–molecule interactions: IV. Scattering by polyatomic molecules
2225 *M Rotenberg and M R Cordes* · S state resonance in elastic e–H scattering in the absence of degeneracy
2231 *S P Ojha, P Tiwari and D K Rai* · Exchange excitation of helium by electron impact
2236 *M P Silverman and F M Pipkin* · Radiation damping of atomic states in the presence of an external time dependent potential
2257 *V L Jacobs* · Theory of atomic photoionization measurements
2272 *V L Jacobs and P G Burke* · Photoionization of the helium metastable states above the $n = 2$ threshold
2282 *H A Hyman, V L Jacobs and P G Burke* · Photoionization of H^- and He above the $n = 2$ threshold
2292 *W S Watson* · Photoionization of helium, neon and argon in the 60–230 eV photon energy range
2304 *W R Newell and K J Ross* · Extrema in the generalized oscillator strengths of the resonance transitions in zinc and cadmium
2310 *G Smith* · Collision broadening and shift in the resonance line of calcium
2320 *A J Cunningham and R M Hobson* · Dissociative recombination at elevated temperatures: III. O_2^+ dominated afterglows
2328 *A J Cunningham and R M Hobson* · Dissociative recombination at elevated temperatures: IV. N_2^+ dominated afterglows
2332 *D J Newman and C D Taylor* · A new approach in atomic configuration interaction calculations
2339 SUBJECT INDEX
2360 AUTHOR INDEX (*with titles*)

Subject index

Absorption
  analysis of vibration–rotation spectrum of Ammonia gas 408–17
  coefficient for photoionization of He, Me and Ar 2292–303
  coefficient of alkali metal negative ions 1662–75
  coefficient of Li^- free–free transitions 514–6
  collective effects in atomic Xe 110–32
  cross-sections of Ca L217–9
  edge of zinc 1790–3
  effect on attenuation characteristics of bremsstrahlung 1583–95
  electronic spectrum of gaseous TeS L172–3
  Rydberg states of N_2 1614–33
  suppression of levels of high principal quantum number using flash background sources L55–7
Adiabatic
  potential energies
    for lowest $^1\Sigma^+$ states of H_2 molecule 927–33
  theorem
    for variational wavefunctions 741–5
Afterglow
  measurement of N_2^+ dissociative recombination 2328–31
  of O_2^+ dissociative recombination 2320–7
  plasma
    O_2^+ and O_4^+ ions in Kr–O_2 1762–72
Alkali
  atoms
    differential cross section of elastic electron–Na scattering L15–17
    elastic scattering of electrons 2051–60
    interaction with rare gas atoms 265–76
    negative ions, continuous absorption coefficient 1662–75
  earth atoms
    core polarization corrections to oscillator strengths and single-triplet splittings 746–60
    oscillator strengths for resonance transitions L193–5
  metals
    determination of electron collision cross-sections for momentum transfer 2117–22
  molecule system
    glory undulations 1744–55
Aluminium oxide
  Franck–Condon factors and r centroids 1681–7
Ammonia
  vibration–rotation spectrum 408–17
  shift of inversion line in microwave spectrum 1221–35
Amplitudes
  approximations for transitions between highly excited states L53–5
Angular distribution
  of ejected electrons from metal surfaces 1175–85
Anharmonic oscillator
  vibrational relaxation L8–11
Annihilation rates
  of positrons in He, Me and Ar 609–16
  of positrons in rare gases 599–608
Anticrossing signals
  used to measured fine structure splittings S–D of $n = 4$ in $(^4He)^+$ L12–15
Argon
  analysis of attenuation of a 10 keV N^+ ion beam 2085–97
  cross section for momentum transfer 849–59
  elastic scattering of neutral Au atoms L140–2
  electron capture by H(2s) in collisions 1412–6
  electron
    detachment of He^- and H^- ions 1959–64
    energy 1010–6
  energy curves of ArH^+ 1517–28
  excitation by electron bombardment L44–7
  Hartree–Fock predictions of ^1P term of spectra of isoelectronic sequences 1083–95
  hydride, energy curve 1517–28
  metastable,
    measurement of electron impact excitation functions 1712–8
  photoionization 1096–1100, 2292–303
  resonance broadening 2310–9
  temperature dependence
    dissociative recombination 2126–33
    of positron annihilation 609–16
  time-of-flight technique for detection of metastable atoms L214–6
  use in technique for determination of electron cross sections of alkali metals 2117–22
  variation of mean electron energy 1010–6
Association reaction
  between ion and atom in rare gases 355–65
Asymmetry
  for rotational transitions in Na 1386–95
Asymptotic expansion
  determination of H_2^+ dipole strengths 2175–81

Atom–atom collision
consideration of fine structure and internuclear axis rotation L79–82
formulation of the impact parameter method 559–70
shape resonance 277–85
Atomic
beam magnetic resonance
used to measure hyperfine structure of ^{95}Mo and ^{97}Mo 386–96
binding energy
non-relativistic theory 466–75
number density
use of 'escape factors' L98–100
state
radiation damping in the presence of a time-dependent potential 2236–56
structure calculation
polarized core approximation L175–7
using frozen cores approximation L1–3
system
van der Waals coefficients 1431–8
vapour
analysis of scattering of resonance radiation 1456–69
variation
validity of Brillouin's theorem for Hartree–Fock results 29–36
Atom—molecule collision
electron loss 1529–32
Attenuation
characteristics in Bremsstrahlung 1583–95
method used to determine metastable state fraction of fast ion beam 2085–97
Aufbau procedure
symmetry of periodic table 1104–10
Autoionization state
excitation by electrons 1895–905
interference in spectra of ejected electrons L183–6
of He 1111–9
of two electron atoms 1120–5

Backscatter
measurement of cross sections for L.E. positron-He collisions L167–9
Band
strength
for comet-tail band system of Co^+ 199–203
integrated intensities of LaO ($B \rightarrow X$) bands 714–9
system
of molecular BaI L191–2
Barium iodide
band system L191–2
Beam
foil measurement
fast ion, attenuation 2085–97
identification of lines from doubly excited He 832–8
velocity
method of measurement after a C foil L20–2
Beryllium
deuteride, variation of Λ doubling with rotational quantum number 2016–24
hydride, variation of Λ doubling with rotational quantum number 2016–24
spectrum of Be III 1031–7
wavefunction and oscillator strength for iso-electronic sequence 37–43
Beta
system of PO molecule rotational analysis of some bands 1038–47
Bethe–Longmire method
Photodetachment cross section of Li^- L121–3
Binary encounter approximation
deduced from Born approximation L107–9
Bismuth
differential cross sections for elastic scattering of positrons L211–3
Bond stretching force constant
for diatomic molecules 761–5
Born
approximation
applied to binary encounter approximation L107–9
applied to collisions of fast electrons with He 1320–31
applied to cross section for 2s–*n*p transitions of Si XII 1351–8
–Oppenheimer
approximation, analysis of effect of dipole moment of dissociation of HD^+ ion 1369–80
of H_2^+ 2175–81
scattering amplitude
collisions of electrons with He L164–6
Boron
ionization by electron impact 1160–74
Bound wavefunction
for complex atoms 1837–43
Branching
ratios for production of H(2p) or H(1s) L110–4
Bremsstrahlung
effect of absorption on attentuation characteristics 1583–95
Brillouin's Theorem
atomic variational approach 29–36
for inter-shell correlations L181–2
Broadening
in Ca resonance line in perturbing gas 2310–9
of microwave spectral lines of CH_2F_2 1427–30

of NaI 5889 Å and 5895 Å by neutral He L79–82
Stark
validity of unified classical path theory L33–5

Cadmium
oscillator strength of resonance transitions 2304–9
Caesium
continuous absorption coefficient of negative ions 1662–75
ionization of vapour by space charge amplification 1735–43
velocity distribution of atoms issuing from capillary arrays 80–8
Calcium
absolute absorption cross sections of CaI L217–9
collision broadening and shift in resonance line in perturbing gas 2310–9
Capillary array
velocity distribution of atoms issuing from 80–8
Carbon
bound wavefunction 1837–43
frozen cores approximation for even parity levels L91–3
ionization by electron impact 1160–74
line in quasar spectra L83–6
dioxide
contributions of non-spherical interactions to the third virial coefficient 16–26
intensity measurements on band systems 1417–26
monoxide
B–X transition moment 896–904
electron impact threshold excitation 1884–9
electronic transition moment 1988–92, L118–20
resonances in electron scattering 1890–7
polarizability 1431–8
Cascade effect
Ne life time measurements 1572–82
Cauchois spectrograph
study of x ray K absorption edge of Zn in compounds 1790–3
Centrifugal distortion term
investigation of fine structure in diatomic molecules 229–41
Centroid
of AlO system using RKR potential 1681–7
relation with electronic transition 1988–92
CH_2F_2
self-broadening of microwave spectral lines 1427–30
$CH_3{}^{81}Br$
collision broadening of 0,0 → 1,0 rotational line 997–1000, 2074–84
C_2H_4
third virial coefficient 1676–80
Channel coupling
in electron collisions with Hg atoms 825–31
Channelling
transmission of $H_2{}^+$ ions through a thin Au single crystal L94–7
Channel scattering
included in variational principles for phase function method 438–44
Charge
capture
non-resonant, $Na^+ + Li \rightleftharpoons Na + Li^+$ 492–6
shifts
formation of a covalent bond 1868–74
transfer transition
coefficients relate to dipole and polarizability of H_2 atom 2175–81
Charged particles
mean penetration energies 1071–82
wavefunction 537–45
Charge exchange
channels, differential measurements of Li^+–He system 963–72
measured for H^+–noble gas atom collisions 1533–53
process
scattering amplitude 483–91
validity of impact parameter method checked for $H^+ + Xe \rightarrow H + Xe^+(^2P_{1/2})$ 559–70
Chromium, highly ionized
classification of ultraviolet spectra 2143–51
Close-coupling
calculations for atomic O_2 L87–90
calculation of collision strength L207–10
effect on cross-section for excitation of H_2 atom 533–6
Closed shell atom
Z-expansion coefficients L147–50
Cobalt
band strength of comet-tail system 199–203
classification of transition 366–70
classification of ultraviolet spectra 2143–51
Coherence
narrowing during multiple scattering of resonance radiation 987–96
of scattered light from optically thin vapours 133–45
Collisional-radiative decay
spark channels in H_2 89–94
Collision
atom–molecule
electron loss cross sections 1529–32
broadening
rotational line of $CH_3{}^{81}Br$ 997–1000, 2074–84

cross-section
for the Me 2p level at 870 K 1001–9
electron–atom
validity of distorted wave method L207–10
electron ion
proton production from electron collision with H_2^+ ions 1554–8
with He L164–6, 1320–31, 1343–50
frequency
of particles in a parallel atomic beam 74–9
generalization of the virial theorem 1439–55
induced dissociation
HD^+ ion, effect of dipole moment 1369–80
integral
O atoms in various electron states 2066–73
ion–atom
differential measurements for H^+–noble gas 1533–53
ionization of He by slow electrons 1559–71
$p^+ - H$
differential cross-sections L204–6
rearrangement, quantum 3-body theory 483–91
strength
transition $C^+2s\,^2 2p\,^2P^0$–$2s\,2p^2\,^4P$ L83–6
theory
analytic integral 820–4
Comet tail system
electronic transition moment for CO^+ 199–203, L118–20
Commutator technique
perturbation theory 1655–61
Complex atom
improved bound wavefunctions 1837–43
polarized pseudo state calculations 242–9
Computer program
for calculation of electron–atom collision cross section 2187–98
Conductivity
plasma, used to obtain cross sections of Ar and K 849–59
Configuration interaction
in NO 1784–9
Copper
–beryllium used for a versatile velocity selector disc 2123–5
L-shell fluoresence yield in ion–atom collisions L73–5
Core
polarization correction
in alkali earth atoms 746–60
relaxation effect
calculated for Sm and Eu 218–28
Correlation diagram
used in interpretation of heavy ion-atom collisions 571–8
Correspondence principle
non-relativistic matrix elements 1308–19
Coster–Kronig yield f_{23}
measured in the region $Z \geqslant 90$ L40–4
Coulomb
–Born approximation cross section for ionization of positive ions by electrons 286–98
matrix
discontinuity is well-behaved on-shell L51–2
dispersion relation 1811–22
elastic e–H differential cross sections L104–6
Potential
integral equation method for phase shifts 497–509
wavefunction
asymptotic expansion 1823–32
Coupled channel
evalutation of schematic model scattering problem 299–308
Coupling equation
electron scattering by Na atoms 1482–505
Covalent
bond
formation by charge shifts 1868–74
compound
x ray emission spectra 1794–809
Cross section
differential
elasticity scattering of electrons 2051–60
general inelastic collision L107–9
photoelectronic transitions in He 2272–81
elastic electronic-Na scattering L15–7
electron attachment to molecules 1211–20
electron impact ionization 820–4
inelastic, of rubidium 265–76
ionization from magnetic substrates of L_3 level 1906–15
of argon, excitation and ionization collision 1010–6
of argon momentum transfer 849–59
of calcium, absorption L217–9
of helium, excitation 617–26, 1192–210, 1343–50
of helium, photoelastic transition 2272–81
of helium, proton impact 979–86
of helium, raman spectroscopy 1155–9
of helium, scattering 627–35
of hydrogen-deuteride, dipole moment 1369–80
of hydrogen, dissociate excitation 860–5
of hydrogen, e–H elastic differential L104–6
of hydrogen, proton production L76–8, L129–31

of hydrogen, metastable, electron loss 636–47
of hydrogen, noble gas 1533–53
of hydrogen scattering 1938–49
of lithium–helium 950–62, 973–8
of lithium, photodetachment L121–3
of mercury, scattering 1928–37
of neon 648–64, 1001–9
of nitrogen, momentum transfer 1186–91
of positive ion, hydrogen L204–6
of positive ion, ionization 286–98
of positron–helium L167–9
of positron, scattering L211–3
of potassium 849–59
of silicon, excitation 1351–8
of sodium–lithium 492–6
of sodium, rotational transition 1386–95
of sodium, scattering 1928–37, L15–7

Decay
channels
molecular resonances 95–109
constant
radiative lifetime of O(^{1}So) 688–700
Decaying atom
interaction with rf field 1844–60
Degeneracy
S state resonances in elastic e–H scattering 2225–30
Dense plasma
stark profiles of transitions in He 1017–30
Depolarization
interaction of Rb atoms with rare gas atoms 265–76
ratio for elastic scattering of electrons 2051–60
Deuterium ion
mobility of, in He 1056–8
Diagonal hypervirial theorem
determination 1
Diatomic
gas
resonant dissociative attachment of electrons 445–65
third virial coefficient 1676–80
molecules
bond stretching force constant 761–5
dissociation energy L38–40
doubling in $^2\Pi$ states 204–12
evaluation of single bond properties 761–5
fine structure of $^3\Pi$ and $^3\Sigma^-$ states 229–41
interpretation of local perturbations in the spectra 2168–74
rotation–vibration coupling L157–9
vibration–rotation matrix elements 1470–7
Dielectronic recombination
satellite line intensities 673–85

Differential cross section
for elastic scattering of electrons 2051–60
for photoelectric transitions in He 2272–81
of elastic electron–Na scattering L15–7
Diffusion
collision integral
mobility of polyatomic ions 169–76
experiment
effect of two-term Lorentz approximation 2025–31
lateral
mass identified O_2^+ ions on O_2 1048–55
Difluoromethane
broadening of microwave spectral lines 1427–30
Dipole
forbidden line profiles
ion dynamic correction L23–6
interaction, scattering 2199–211
moment
effect on collision induced dissociation of HD^+ ions 1369–80
diatomic molecules 761–5
Disperion
relation
for Coulomb T matrix 1811–22
technique
applied to molecular band intensity 'fringe' band analysis 1241–7
oscillator strength of (0, 0) band of No–y system 1248–54
Dissociation
effect of dipole moment of HD^+ ion 1369–80
of $(HeH)^+$ ion 1381–5
Energy
of the IO molecule L38–40
Dissociative
attachment
in hot molecules 445–65
near an excitation threshold 790–809
excitation
of H_2^+ 860–5
recombination
reaction rates of N_2^+ 2328–31
reaction rates of O_2^+ 2320–7
temperature dependence 2126–33
Distorted wave approximation
calculation of electron–atom collision cross section 2187–98
cross sections for excitation of molecular gases by slow positrons 589–98
validity in electron–atom collision theory L207–10
used to study excitation of H_2 atoms by α particle impact 525–32
application to elastic scattering 346–54
Distribution
angular

particles in a parallel atomic beam 74–79
velocity
atoms from capillary atoms 80–8
electrons from reverse side of C foils L20–2
Double charge exchange
translational spectroscopy of H^- L110–4
Double-continuum Coulomb wavefunction
asymptotic expansions 1823–32
Doubling, Λ
explanation of anomolies in study of fine structure in diatomic molecules 229–41
in $^2\Pi$ states of diatomic molecules 204–12
variation with rotational quantum number 2016–24
Dressed atom
theory of radiofrequency transitions L4–5
Drift velocity
for electrons in Ne 648–64
in a He–Cd laser discharge 665–72
Dysprosium
x ray spectrum 2152·4

Eikonal approximation
'angle' trajectories L199–203
Einstein *A* coefficients
comet-tail band system of CO^+ 199–203
Ejected electron
angular distribution in H^- 2282–91
interference of resonances with a continuum in the spectra L183–6
measured for impact ionization of He 2107–16
photoionization measurement 2257–71
Elastic scattering
cusp in the differential cross section L15–7
electrons by H and He atoms 44–54
Electromagnetic field
influence on multiphonon ionization of atomic H_2 L134–6
Electron
atom collision
causing line broadening 903–11
computer program 2187–98
cross sections calculated by second Born approximation L6–8
attachment
to molecules at high gas densities 1211–20
bombardment
excitation of Ar L44–7
capture
by metastable H_2 1412–6
cross section collision
cross section determined for momentum transfer of alkali metals at low electron energies 2117–22
cross section, solution of integro-differential equations L1–3
wavefunction formulation for computer program 2187–98
correlation
influence on constants for He H^+ L160–3
density
in a He–Cd laser discharge 665–72
detachment
in collisions involving He^- and H^- ions 1959–64
distribution function
solution of equation of change, considering elastic and inelastic collision 2025–31
ejection
from metal surfaces by metastable atoms 1175–85
hydrogen
collision, ionization threshold law L137–9
collision, polarization fraction 321–33
correlation
for x-ray and fast electron scattering 1965–74
system
attributable to LoF L189–90
attributable to LoH and LoD L187–8
transition moment
for CO 1988–92, L118–20
impact
excitation of 2^2P and 3^3P states of He 2231–5
ionization of ions in a hollow electron beam 1719–34
ionization of positive ions 288–98
ionization spectrum of zinc vapour 701–9
ion collision
proton production from electron collisions with H_2^+ ions 1554–8
loss
in atom–molecule collisions 1529–32
from metastable H_2 636–47
molecule interaction
method for e^-–N_2 scattering 1696–711
resonant 255–64
scattering of low energy electrons by polyatomic molecules 2212–24
–oxygen
calculation for scattering using polarized close coupling 1506–16
photon coincidence
technique used to measure lifetimes of vibronic levels of $B\ ^1\Sigma^+$ state of CO 896–904
–promotion model
application to production of K shell vacancies in ion–atom collisions 579–88
scattering
variation of atomic line radiation 1126–37

by H atoms 537–45, 546–58, 2061–5
long-range dipole interaction 2199–211
transmission
study of decay channels of molecular resonances 95–109
Emission spectrum
molecular orbital interpretation of valence x-ray emission of S_8 2032–8
of Y 2332–8
Energy
atomic binding
non-relativistic theory 466–75
distribution
of ejected electrons from metal surfaces 1175–85
levels
in linear molecules 1293–301
lower bounds 193–8
loss spectra
transmission studies of monochromated electrons 95–109
Equilibrium properties
of polar gases 2039–50
Escape factor
use in plasma spectroscopy L98–100
Ethylene
third virial coefficient 1676–80
Europium
core relaxation effect 218–28
Exchange
effect
included in variational principles for phase-function method 38–44
excitation of helium 2231–5
integral 1478–81
interaction
between ionic and covalent states of 2 atoms 177–83
matrix element
in heavy particle collisions 1478–81
Excitation
cross-section of Li, Na and K by electron impact 503–13
energies for individual subshells of rare gas atoms 476–82
functions for metastable He and Ar by electron impact 1712–8
functions for $n = 2$ states of He 66–73
high-energy approximation for 2^1S and 2^1P states of He 617–26
influence of metastable atoms in fast He–He collisions L101–3
mechanism for N in a glow discharge 402–7
moment theory bounds on mean energies 1071–82
of argon by electron bombardment L44–7
or autoionized $3p(-)$ states 1898–905
of C II line L83–6
of helium 1192–210, 2231–5
of hydrogen 66–73, 1525–32, 533–6, 617–26, 1712–8, L101–3
partial sums of second order energies of atoms 1062–70
rotational branch structure by electron molecule collision 255–64
rotation of molecules by slow positrons 589–98
semiquantal treatment of H–H collisions 334–45
simultaneous ionization of He 1916–21
study of $He + h\nu = He^+ (n = 2) + e$ L143–5
threshold, dissociative attachment and a resonance 790–809

Factorization
of radial nuclear equation L157–9
Fast ion beam
attenuation method for a 2-component singly charged beam 2085–97
Feshbach-type autoionization states
computation of hydrogenic thresholds 1120–5
He–application of multiconfiguration energy bound method 1111–9
Fifth period elements
study of EUV spectra 1596–613
Fine structure
in He^+–intervals S–D and lamb shift $P_{3/2}$–$D_{3/2}$ L12–5
of diatomic molecules 229–41
splittings
for L shell atoms 934–42
measurement of He L12–5
Flashlight
effect of line broadening on observed highest principal quantum number L55–7
Fluorescence
analysis for scattering of resonance radiation 1456–69
copper L shell yield in ion–atom collisions L73–5
Coster–Kronig probability f_{23} in the region $Z \geq 90$ L40–4
laser-induced
study of collision-induced energy transfer in electronically excited Na molecules 2098–106
sensitized
modulation in Hg–Cd L170–1
Fokker–Planck equation
high momentum-transfer collisions in ionized gases 839–48
Forbidden component
effect on calculated ionic profiles L35–8
effect on line profile broadening L23–6

Forward-backward scattering
He$^+$ fragment from dissociation of $(HeH)^+$ ion 1381–5
'Four-gauze' electrical shutter
method of measuring mobility of mass-identified D^+ ions in He 1056–8
Four state exchange close coupling equation
for scattering of electrons by Ha atoms 1482–505
Fox–Duffendack–Barker
intensity measurements on band systems of CO_2^+ 1417–26
Franck–Condon factor
computed for La O ($B \rightarrow X$) bands 714–9
of band system of AlO using RKR potentials 1681–7
validity for $H^+ \rightarrow H^-$ collisonal transitions L58–62
Fredholm–Padé approximation
in scattering theory 299–308, 1922–7
Fringe
shift in band analysis procedures 1241–7
Frozen cores approximation
calculation of atomic structure L1–3
for diatomic molecules, lowest $^1\Sigma^+$ states of H_2 927–33
for even parity levels of Cl L91–3

Gadolinium, x ray spectrum 2152–4
Gaydon–Herman bands
rotational studies, of N_2 1634–54
Generalized oscillator strength
transition $4^1S \rightarrow 4^1P$ in Zn 701–9
Glauber
approximation
calculation of second order potentials in scattering theory 537–45
electron–hydrogen ionization cross-section L70–2
calculations
of Lyman-α polarization 321–33
–Eikonal approximation
for straight line trajectories L199–203
Glory undulation
of alkali–molecule systems 1744–55
Gold
channelling effects of transmitting H_2^+ ions through a thin single crystal L94–7
elastic scattering by Ar L140–2

Harmonics, spherical
evaluation of integrals 2155–67
Harris' equation
used in semi-empirical LCAO–MO approximation 250–4
Hartree–Fock
$4d^95s^25p^64f$ configuration in La 1096–1100
influence of magnetic interaction in a relativistic treatment of 2 electron atom 2–6
Brillouin's theorem for inter-shell correlations L181–2
molecular orbit method used to prepare correlation diagrams for Ne–Ne and Ne–Ar systems 571–8
oscillator strength for He 2182–6
of ^1P term of spectra in Ar I and Kr I isoelectric sequences 1083–95
analysis of validity of Brillouin's theorem 29–36
term dependence for $nln'l$ configurations 1302–7
time dependent treatment of elastic scattering of electrons by H and He^+ L26–30
for $nsns$ ^1S states of He with orthogonal orbitals 1286–92
used in deduction of Λ doubling constants for BeH and BeD 2016–24
Heavy particle collisions
differential equations for exchange matrix elements 1478–81
ionization processes in slow collisions 1396–411
Helium
absorption and emission line shapes for HeII resonance line L220–3
anticrossing signals used to measure fine structure splittings L12–5
application of multiconfiguration energy bound method to autoionization states 1111–9, 1120–5
beam for measurement 832–8
cadmium laser, electron density 665–72
calculation of hyperpolarizability 1875–83
collision ionization by 250 eV electrons 2107–16
collisions with fast electrons 1320–31, L164–6
elastic scattering of electrons by complex atoms 44–54
time dependent elastic scattering of electrons L26–30
electric quadrupole multiplet strength 184–92
electron detachment 1959–64
exchange excitation 2231–5
excitation
by electrons 617–26
exchange by electron impact 2231–5
in fast He–He collisions L101–3
spectra L26–30
UV measurement 1192–210
electron correlation and vibrational and rotational constants L160–3
hyperfine shift 309–20

inelastic process in He^+–He collisions 1343–50
inelastic scattering cross-sections 627–35
interaction of laser light with 2^1S_0 metastable state 1155–9
interatomic potential and hyperfine shift calculated for interaction with H atom 309–20
ion–atom association reactions in rare gases 355–65
ionization
  collision with slow electrons 1559–71
  by proton impact 979–86
  effect of configuration interaction 1688–95
  of ions by high energy photons 517–24
  photo-, 2272–81, 2281–91, 2292–303
  pre-breakdown 1236–40
  resonance 1898–905
least squares method applied to calculate unbound $2s^2\ ^1S$ and $2p^2\ ^1S$ states 1359–68
isoelectronic atomic systems
  correlated wavefunction 810–9
line from doubly excited states 832–8
lithium collision 950–62, 963–72, 973–8
lower bounds energy level 193–8
metastable
  measurement of electron impact excitation functions 1712–8
  photoionization 2272–81, 2282–91, 2292–303
mobility of mass identified D^+ ions in 1056–8
orthogonal orbital 1286–92
oscillator strength 2182–6
perturbation calculation 425–31
corrections to Hartree–Fock approximation 2182–6
photoionization L67–70, L143–5
photoionization of metastable states 2272–81, 2282–91, 2292–303
plasma
  resonance line L220–3
  temperature in gas breakdown 866–77
positron annihilation 609–16
pressure broadening of Na I Ar high temperature L79–82
profiles of Hβ transition in 99.99% plasma with 0.01% H_2 1756–61
resonance
  broadening 2310–9
  ionization by electron impact 1898–905
scattering
  Li^+ + He system 950–62
  Li^+ – He collisions 973–8
  Li^+ ions 963–72
simultaneous excitation and ionization 1916–21
slow collisions on Ne, Ar, Kr and Xe 1396–411
Stark profiles of transitions in a laser-produced plasma 1017–30
study of $He + h\nu = He^+(n = 2) + e$ L143–5
threshold excitation spectra 66–73
time-dependent treatment of elastic scattering of electrons L26–30
vacuum UV measurements of excitation 1192–210
High-energy approximation
  excitation of He by electrons 617–26
High momentum-transfer collisions
  significance in ionized gases 839–48
Hollow electron beam
  electron impact ionization of trapped ions 1719–34
Hulthén–Kohn method
  relation to phase function method 438–44
Hund's rules
  energy levels in linear molecules 1293–301
Hydrogen
  adiabatic potential energy for lowest $^1\Sigma^+$ states of molecule 927–33
  profile, discrepancies in central region 1756–61
  binding energy of H_2^+ molecule 1868–74
  calculation of third harmonic generation coefficient 1149–54
  collisional-radiative decay of spark channel 89–94
  cross sections for ionization by electron impact 270–2
  deuteride ion collision induced dissociation 1369–80
  dipole strength by asymptotic techniques 2175–81
  dissociative excitation 860–5
  effect of 2s–2p close coupling on cross section for excitation of 2p state of atoms 533–6
  elastic scattering
    of electrons 44–54, 1938–49, L26–30
    of positrons 1138–48
    resonance 2225–30
    capture by H(2s) 1412–6
    detachment 1959–64
    loss from metastable H_2 636–47
    loss in atom-molecule collisions 1529–32
  energy curves of ArH^+ 1517–28
  excitation by α particle impact 525–32
  Franck–Condon principle for $H^+ \rightarrow H^-$ collisional transitions L58–62
  H–H collisions study of excitation and ionization 334–45
  interatomic potential and hyperfine shift calculated for interaction with He atom 309–20

molecular
vibrational level 27–8
wavefunction 1833–6, 1837–43
multiphonon ionization of H_2 like atoms L196–8
multiphonon ionization in an electromagnetic field L134–6
neutralization L110–4
noble gas collision, differential measurement 1533–53
photoionization 2282–91
polarizability 1431–8
polarized pseudo-state calculation 242–9
profiles of Hβ transition in pure plasma 1756–61
proton production by collisions with electrons L76–8, L129–31, 1554–8
recombination coefficient 89–94
rotational excitation of molecules by slow positrons 589–98
scattering of charged particles by H atoms 2061–5
Stark broadening by electrons 903–11, L153–6
time-dependent treatment of elastic scattering of electrons L26–30
transmission of H_2^+ ions through a thin Au single crystal L94–7
vibrational level of the molecular ion 27–8
wavefunction for molecular ion 1833–6, 1837–43
Hydrogen fluoride
electronic structure 425–31
Hydrogenic integral
tabulation 1655–61
Hydrogenic wavefunction
used to calculate cross section for ionization 1906–15
Hyperfine shift
calculated for He–H interaction 309–20
Hyperfine structure
^{95}Mo and ^{97}Mo 386–96
Hyperpolarizability
He and Ne 1875–83
Hypervirial theorem
determination 1
used to derive transition moment integrals 921–6

Impact parameter
explicit condition for scattering matrix L63–6
calculation of second order potentials in scattering theory 537–45
for general atom–atom collisions 559–70
Impulse approximation
validity of Pradhan's work L19–20, L49–51
Inelastic cross-section
for interaction of Rb atoms with rare gas atoms 265–76
for rotational and vibrational transitions in the $Na_2(B^1\Pi_u)$ state 2098–106
Inelastic processes
in He^+–He collision 1343–50
Inelastic scattering
cross section for electrons in He 627–35
Intensity
of LuO ($B \rightarrow X$) bands 714–9
measurement
on CO_2^+ band system 1417–26
on N discharge 402–7
Interelectronic interaction
as a perturbation in second order energies of atoms 1062–70
Inter-shell correlation
Brillouin's theorem L181–2
Inversion
pressure-induced shift in microwave spectrum of NH_3 1221–35
spectra of ammonia 1861–7
IOC-ω technique
analysis 1101–3
Iodine–oxygen
dissociation energy L38–40
collision
differential measurement for H^+-noble gas 1533–53
production of K shell vacancy 579–88
cross-section
calculated by second Born approximation L6–8
inelastic collision
interpretation from correlation diagrams 571–8
scattering and interatomic potentials for ions incident on Ne and Ar 1332–42
binding energy, non-relativistic theory 466–75
dynamic perturbation
influence on broadening of forbidden line profiles L23–6
Ionic profile
calculated in the region of forbidden components L35–8
Ionization
analytic integral for collision theory 820–4
cross section for electron–hydrogen ionization L70–2
effect of correlation in target wavefunction of He 1688–95
gas sampling techniques in He 1236–40
in slow heavy particle collisions 1396–411
of boron 1160–74
of caesium vapour 1735–43
of carbon 1160–74
of electron–hydrogen collision L70–2, L137–9

of helium 979–86, 1236–40, 1559–71, 1688–95, 1916–21, 2107–16
of helium like ion 517–24
of hydrogen L134–6
hydrogen collision 334–45
hydrogen like atom L196–8
of ion trapped in a hollow electron beam 1719–34
of nitrogen 1160–74
of nitrogen–oxygen 1784–9
of oxygen 1160–74
of positive ions by electron impact 286–98
analysis of emission spectrum of Y VI 2332–8
semiquantal treatment of H–H collisions 334–45
simultaneous excitation of He 1916–21
variation of Cu L shell fluorescence yield L73–5
Ion structure
in a laser produced plasma 1975–87
Iron
analytical wavefunction for group elements L124–8
transition between levels of principal quantum numbers 3 and 4 1255–69
Isoelectronic spectra
classification of highly ionized Ni, Co, Cr and V 2143–51

K absorption edge
of zinc 1790–3
K emission
interpretation of valence x-ray emission of S_8 2032–8
K shell vacancy
in symmetric ion–atom collisions 579–88
Kohn variational principle
for 3 body break-up process 912–20
Krypton
dissociative recombination measurement in afterglows 1773–83
Hartreee–Fock predictions of ^1P term of spectra of isoelectronic sequences 1083–95
measurements of threebody conversion reactions 2134–42
oxygen ions in afterglow plasma 1762–72

Ladder operator technique
used to derive vibration–rotation matrix elements of diatomic molecules 1470–7
Lanthanum
Hartree–Fock calculation for $4d^{9}5s^{2}5p^{6}4f$ configuration 1096–1100
oxide, relative strengths of the bands of (B → X) system 714–9
Laser
amplified spontaneous emission for spectral profile measurements 371–6
electron densities and drift velocity in a He–Cd discharge 665–72
light, interaction with metastable of He 1155–9
plasma temperature in pulse-induced gas breakdown 866–77
LCAO—MO approximations
usefulness of Harris' equation 250–4
—STO—MO—SCF approximation
calculation of ground and excited states of ArH^+ 1517–28
Lead
self-consistent-field wavefunctions 766–7
Least squares method
for unbound states 1359–68
Legendre series
evaluation of a class of integrals 2155–67
Length matrix element
in quadrupole transition calculation 184–92
Lennard–Jones constant
for the 1·15 μm ($2p_4$–$2s_2$) transition of Ne^{22} 397–401
Level crossing experiment
coherence property of scattered light 133–45
Lifetime measurement
of Neon cascade effects 1572–82
of oxygen 686–700
Linear
molecules
rotational transition into branches 255–64
system
analysis of scattering of resonance radiation 1456–69
trajectory approximation
condition imposed on scattering matrix by time-reversal invariance L63–6
Line
broadening
flashlight effect L55–7
two particle self-energy expansion 1271–85
shape
for broadened HeII resonance line in He plasma L220–3
Lithium
absorption coefficient of negative ions 1662–75
electric quadrupole multiplet strength 184–92
free–free transitions 514–6
–He collisions 950–62, 963–72, 973–8
lower bounds energy level 193–8
photodetetachment cross section L121–3
cross-section

for excitation by electron impact 508–13
for process $Na^+ + Li \rightleftharpoons Na + Li^+$ 492–6
scattering
by He 963–72
in Li^+ + He collision 973–8
Long-range
coefficient, multipole L151–2
interaction in electron scattering 2199–211
potential, low-energy scattering L115–7
Lorentz
approximation, effect on Townsend–Huxley diffusion experiment 2025–31
plasma, high momentum-transfer collisions in ionized gases 839–48
Lower bounds
to energy levels of singlet and triplets S states of He and Li^+ 193–8
L shell fluorescence
of Cu in ion–atom collisions L73–5
L_2 subshell yield
direct methods for investigation L40–4
Lutecium
deuteride, electronic spectra L187–8
fluoride, electronic spectra L189–90
hydride, electronic spectra L187–8
Lyman-α radiation
polarization fraction from e^-–H(1s) collisions 321–33
shift and asymmetry of broadened H_2 lines L153–6

Magnetic
interaction
influence in relativistic Hartree–Fock equation 2–6
pulsed field
technique used to study resonant interatomic collisions in Hg 377–85
quadrupole decay
of n^3P_2–1^1S_0 states of He-like ions 213–7
Manganese
transition between levels of principal quantum numbers 3 and 4 1255–69
Many-body antisymmetric wavefunctions
representability problem 7–15
Many-electron atoms
complete orbit–orbit interaction 768–72
Mass identified
D^+ ions, mobility in He gas 1056–8
positive ions, lateral diffusion in O_2 1048–55
Matrix
diagonalization, numerical, in diatomic molecules 229–41
element for various potentials 1308–19
reduced density, *N*-representability problem 7–15
Mean electron energy
in Ar 1010–6
Mercury
–cadmium modulation of sensitized fluorescence L170–1
channel coupling and atomic polarization 825–31
effect of resonant collisions on lifetime of 6^3P_1 state 377–85
low-energy scattering of electrons 1928–37
Metal surface
contaminated, distribution of ejected electrons 1175–85
Metastable
atom
detection by time-of-flight technique L214–6
radiative lifetime of $O(^1S_0)$ 688–700
influence on excitation in fast He–He collisions L101–3

state population
determined by attenuation method for fast ion beams 2085–97
Microwave
spectral lines, shapes in gases at low pressures 146–67
spectrum, shift of inversion line of NH_3 1221–35
Mobility
of mass identified D^+ ions in He gas 1056–8
of polyatomic ions in gases: core model 169–76
Molecular
band intensity
'fringe' band analysis 1241–7
oscillator strength of (0,0) band of NO-γ system 1248–54
gas
annihilation rates of positrons in rare gases 599–608
rotational excitation of molecules 589–98
orbital approximation
valence x ray emission of S_8 2032–8
Molecule
hot, dissociative attachment 445–65
linear, energy level 1293–301
Molybdenum hyperfine structures and quadrupole moments 386–96
Moment theory
bounds on mean energies of excitation 1071–82
Momentum transfer
cross section

behaviour of drift velocity with E/p for low energy electrons in Me 648–64
collision, for N_2 1186–91
electron collision, of alkali metals 2117–22
Multiconfiguration energy bound method
applied to Feshbach-type $^{1,3}P^e$ autoionization states of He 1111–9
Multiphoton
ionization, of hydrogenic atoms L196–8
process, calculated using pseudo-particle state 1875–83
Multiple quantum resonance
positions and shapes 890–5
Multipole long-range interaction
coefficients for Ne L151–2

Neon
argon system, correlation diagram 571–8
calculation of hyperpolarizability 1875–83
cascade effect in life measurements 1572–82
collision cross section for 2p levels at 870 K 1001–9
cross-section for low-energy electron 648–64
electronic correlation for x-ray and fast electron scattering 1965–74
Lennard–Jones constant from broadening and shift of 1·15 μm spectral line of Ne^{22} 397–401
multipole long-range coefficient L151–2
photoionization in 60–230 eV photon energy range 2292–303
resonance broadening 2310–9
time-of-flight technique for detection of metastable atoms L214–6
neon system
correlation diagram 571–8
production of K shell vacancy 579–88
temperature dependence
of dissociative recombination 2126–33
of positron annihilation 609–16
Neutralization
of 4 keV protons to produce H(2p) of H(1p) L110–4
New band system
of molecular BaI L191–2
New electronic system
attributable to LuF L189–90
attributable to LuH and LuD L187–8
Nickel
classification of solar lines 366–70
highly ionized, classification of ultraviolet spectra 2143–51
Nitrogen
collision cross section for momentum transfer 1186–91
electron capture by H(2s) in collisions 1412–6
excitation mechanism for the $c^3\Pi_u$ state 402–7
high-resolution studies of Rydberg states 1614–33
ionization by electron impact 1160–74
positron annihilation in mixtures of rare gases with N_2 599–608
pseudo-potential method for electron–molecule interactions 1696–711
recombination, dissociative 2328–31
solution of SCF–LCAO–MO equations using perturbation approach 732–40
third virial coefficient 1676–80
oxygen
inner ionization and configuration interaction 1784–9
oscillator strength 1248–54
rotational
excitation by slow positrons 589–98
studies of Gaydon–Herman bands 1634–54
$nln'l$ configurations
term dependence of Hartree–Fock results 1302–7
Nonadiabatic transition probability
in systems such as $A^* + B$ or $A^+ + B^-$ 177–83
Non-polar
molecules, broadening of 0,0 → 1,0 rotational line of $CH_3{}^{81}Br$ 2074–84
polar, gas mixtures, transport properties and virial coefficient 1950–8
Non-relativistic theory
of atomic and ion binding energies 466–75
Non-spherical
atom, van der Waals coefficient 1431–8
interactions, contributed to third virial coefficient of a polyatomic gas 16–26
Non-zero dipole transition moment
for 20 states of proton : H atom relation 2175–81
Numerical matrix diagonalization
investigation of fine structure in diatomic molecules 229–41

Ochkur approximation
calculation of exchange excitation of He 2231–5
Omega
doubling, used to estimate $1\text{-}0^+$ separation in TeO ground state L132–3
technique, overlap charge 1101–3
One-electron
exchange integral, arising in heavy particle collisions 1478–81
function, wavefunction for He-like atomic systems 710–9
Orbital
close coupling, cross section for electron–

oxygen scattering 1506–16
orthogonal, for *nsns* ^1S states of He 1286–92
Orbit–orbit interaction
in many-electron atoms 768–72
Oscillator
anharmonic, vibrational relaxation L8–11
strength
alkaline earth atoms 746–60, L193–5
beryllium 37–43
cadmium 2304–9
dispersion technique 1248–54
helium 2182–6
zinc 701–9, 2304–9
Overlap charge
in ω technique 1101–3
Oxygen
atomic polarizability, computer programme 55–65
close-coupling calculation L87–90
collision integral in different electronic states 2066–73
hydrogen ion, interpretation of $A^3\Pi$–$b\ ^1\Sigma^+$ perturbation 2168–74
ion in Kr–O_2 afterglow plasma 1762–72
ionization by electron impact 1160–74
lateral diffusion of mass identified O_2^+ ion 1048–55
low-energy electron attachment to molecules 1211–20
radiative lifetime of $^1S_0$ metastable of atomic O_2 686–700
recombination, dissociative 2320–7
rotational excitation by slow positrons 589–98
electron
capture by H(2s) in collision 1412–6
scattering 1506–16

Particle scattering
by two level atoms in a radiation field 1995–2015
Penetration energy
of charged particles 1071–82
Periodic table
approximate symmetry 1104–10
Perturbation
calculation on helium 425–31
correction to Hartree–Fock approximation for helium 2182–6
in OH^+ 2168–74
local, in the spectra of diatomic molecules 2168–74
solution to SCF–LCAO–MO equations
application to N_2 732–40
theory 721–731
theory
commutator technique 1655–61
magnetic interaction in a relativistic Hartree–Fock equation 2–6
Perturbative calculation
for multiphonon ionization of hydrogenic atoms L196–8
Phase
function method, variational principle 438–44
shift
for e^-–He scattering 44–54
for positron–H_2 elastic scattering in a pseudo-state expansion 943–9
integral equation method 497–507
Photoabsorption spectra
collective effects in atomic Xe 110–32
Photodetachment cross section
of lithium L121–3
Photoelectric transition
expression for photoelectron distribution and spin polarization 2257–71
He metastable states above $n = 2$ threshold 2272–81
Photoelectron
distribution related to spin polarization in photoionization 2257–71
Photographic photometry
used to measure integrated intensities of LaO (B → X) bands 714–9
Photoionization
cross section, *R*-matrix theory 55–65
line-broadening effect on quantum number L55–7
of argon 1096–1100, 2292–303
of calcium L217–9
of general atomic system 2257–71
of helium L67–70, L143–5, 2272–81 2282–91, 2292–303
of hydrogen 2282–91
of neon 2292–303
of xenon 1096–1100
Photon
ionization of He-like ions 517–24
Plasma
broadening
of dipole-forbidden components of spectral lines L23–6
high-pressure d.c. conductivity measured to obtain Ar and K cross sections 849–59
laser-produced ion and velocity structure 1975–87
single component high momentum-transfer collisions in ionized gases 839–48
spectroscopy, use of the 'escape factor' L98–100
temperature, in laser pulse induced gas breakdown 866–77
Polar gas
study of virial coefficients 2039–50
atomic, *R*-matrix theory 55–65
of H_2 and C 1431–8

Polarization
coherence narrowing during multiple scattering of resonance radiation 987–96
fraction, of the Lyman-α radiation from e – H (1s) collisions 321–33
in electron collisions with Hg atoms 825–31
interaction of decaying atom with RF field 1844–60
of atomic line radiation excited by electron impact 1126–37
of characteristic x radiation 1906–15
of orbitals from dissociation of $(HeH)^+$ ion 1381–5
pseudo-practice method of calculation 1875–83
Polarized
core approximation, of atomic structure calculations L175–7
orbital close coupling cross-section calculation for electron–O_2 scattering 1506–16
pseudo state for complex atom 242–9
Polar molecules
collision broadening of rotational line of $CH_3{}^{81}Br$ 997–1000
Polyatomic
gas, third virial coefficient 1676–80
ion, mobility in gases: core model 169–76
molecules, scattering of low energy electrons 2212–24
Positron
behaviour in molecular gases 589–98
dependence of annihilation rates in rare gases on presence of molecules 599–608
differential cross section for elastic scattering L211–3
elastic scattering by atomic H_2 1138–48
Helium collisions, total cross section L167–9
hydrogen elastic scattering, in pseudo-state expansion 943–9
annihilation
in rare gases in the presence of molecules 599–608
temperature dependence 609–16
Potassium
continuous absorption coefficient of negative ions 1662–75
velocity dependence of total cross section 1744–55
cross section
for excitation by electron impact 508–13
for momentum transfer 849–59
Potential
harmonic oscillator used to calculate matrix elements 1308–19
interatomic, for ions of noble metals incident on Ne and Ar 1332–42
long range low-energy scattering L115–7
non-local, virial theorem in collision theory 1439–55
barrier
in atomic interactions 277–85
energy curve
for HF^+ 425–31
rotational study of Gaydon–Herman bands of N_2 1634–54
used to determine collision integrals of O atoms 2066–73
interaction
calculated for HeH 309–20
used to evaluate schematic model scattering problem 299–308
second order
in atomic scattering theory 2061–5
scattering of charged particles by H_2 atoms 546–58
theory 537–45
Pradhan's impulse approximation
validity L19–20, L49–51
Preaveraged potential model
virial coefficients of polar gases 2039–50
Pre-breakdown ionization
measured in He 1236–40
Pressure induced shift
of inversion line in microwave spectrum of NH_3 1221–35
Principal quantum numbers
classification of transitions between levels 3–4 in Fe and Mn 1255–69
Proton
impact, ionization of He 979–86
neutralization L110–4
produced by collisions between electrons and H_2^+ ions L129–31, 1554–8
produced in electron–H_2^+ collisions L76–8
scattering by H atoms
applied method 546–58
approximation 2061–5
theory 537–45
Pseudo-particle method
for polarizabilities and multi-photon processes 1875–83
Pseudo-potential method
for e^-–N_2 scattering 1696–711
Pseudo-state calculation
polarized for hydrogen 242–9

Quadrupolar molecule
broadening of 0,0 → 1,0 rotational line of $CH_3{}^{81}Br$ 2074–84
Quadrupole transition calculation
length and velocity elements 184–92
Quantum
resonance, multiple 890–5
theory of Stark broadening 903–11
three-body theory 483–91

transition 878–89, 890–5
number
principal, in Fe and Mn 1255–69
suppression L55–7
variation of Λ doubling 2016–24
Quasar spectra
excitation of a CII line L83–6

Radial nuclear equation
factorization method for diatomic potential functions L157–9
Radiation
damping of atomic states 2236–56
field, particle scattering by two level atoms 1995–2015
Radiative
association, shape resonances in thermal atomic collision process 277–85
lifetime, of $O(^1S_0)$ 686–700
Radiofrequency
field, interaction with a decaying atom 1844–60
transitions, in a dressed atom L4–5
spectroscopy
saturation effect 878–89, 890–5
Rare earths
existence of $L\beta_1'$ satellite in the x ray spectra 2152–4
Rare gas
association reaction 355–65
rubidium interaction, cross-section 265–76
subshell stopping powers 476–82
r-centroid
of AlO band systems using RKR potential 1681–7
relation with electronic transition moments for triplet system of CO 1988–92
Rearrangement collision
quantum 3-body theory 483–91
Recombination
collisional-radiative coefficient for spark channels in H_2 89–94
N_2^+ dominated afterglow at elevated temperature 2328–31
O_2^+ dominated afterglow at elevated temperature 2320–7
coefficient
measurements in Kr afterglows 1773–83
O_2^+ and O_4^+ ions in K_2–O_2 afterglow 1762–72
dielectronic
satellite line intensities 673–85
dissociative
comparison of theoretical and experimental afterglows in Ne and Ar 2126–33
measurements in Kr afterglows 1773–83
Reflection coefficient
for metastable atoms at contaminated metal surfaces 1175–85
Relaxation
core, of Eu and Sm 218–28
vibrational anharmonic oscillator L8–11
Residual ion
excitation to 2p state 2282–91
in the theory of photoionization measurements 2257–71
Resonance
broadening and shift of Ca line under pressures of He, Ne, Ar, Kr and Xe 2310–9
complex coordinate space calculations L178–80
dissociative attachment of electrons 445–65
effect of collisions on lifetime of 6^3P_1 state in Hg 377–85
in elastic cross section for schematic model scattering problem 299–308
in electron scattering from CO 1890–7
in photoabsorption spectrum of La 1096–1100
interference with a continuum in a spectra L183–6
in thermal atomic collision processes 277–85
ionization of He atom 1898–905
near excitation threshold 790–809
molecular, electron transmission studies of decay channels 95–109
S states in elastic e–H scattering 2225–30
radio-frequency saturation effects 878–89, 890–5
three-body ion–atom association reactions 355–65
threshold excitation of CO 1884–9
oscillator strength for alkaline atoms L193–5
cadmium 2304–9
zinc 2304–9
radiation
coherence narrowing during multiple scattering 987–96
linear systems analysis of scattering 1456–69
Rotation
study of Gaydon–Herman bands of N_2 1634–54
vibration coupling in diatomic molecules L157–9
Rotational
analysis of bands of β system of PO 1038–47
for HeH^+, influence of electron correlation L160–3
coupling, excitation mechanism in Li^+–He collisions 973–8
Quantum number, relationship to Λ doubling BeH and BeD 2016–24

structure of inversion spectrum of $^{14}NH_3$ 1861–7
transition, absolute cross sections in the $Na_2(B^1\Pi_u)$ state 2098–106
R-matrix theory
of atomic polarizability 55–65
Rubidium
continuous absorption coefficient of negative ions 1662–75
fine structure transitions in excited atoms colliding with rare gas atoms 265–76
Rydberg
Klein–Rees potential
used to determine dissociation energy of IO molecule L38–40
used to determine Franck–Condon factors and r centroids of AlO 1681–7
state
high-resolution studies of N_2 1614–33
of NO 1784–9

Samarium
core relaxation and screening effects 218–28
Satellite lines
from dielectronic recombination 673–85
Saturation effects
in RF spectroscopy 878–89, 890–5
Scattered
electrons, measured for impact ionization of He 2107–16
waves, quantum theory of Stark broadening 903–11
Scattering
by the r^{-3} potential L115–7
calculation for electron–oxygen using polarized close coupling 1506–16
charge exchange of a three-body expansion 483–91
coherence properties of light in a level crossing experiment 133–45
complex coordinates for ^1S resonance L178–80
cross section for electrons in He 627–35
cusp in low-energy electron–Na scattering L15–7
electronic coorelation for x-rays and fast electrons by Ne (^1S) 1965–74
evaluation of Na–Ne 1744–55
forward–backward, of fragments from dissociation of $(HeH)^+$ ions 1381–5
Fredholm and Padé approximations 299–308, 1922–7
Glauber-type eikonal approximation for trajectories L199–203
high-momentum-transfer collisions in ionized gases 839–48
impact parameter calculations L63–6
interaction of laser light with He 1155–9
ion–atom and interatomic potentials for ions incident on Ne and Ar 1332–42
in linear systems analysis 1456–69
long-range dipole interactions 2199–211
low-energy inelastic 1928–37
matrix, impact parameter L63–6
model in variational calculation L30–2
of charged particles by atoms collisions of electrons with atomic H_2 537–45, 546–58, 2061–5
of gold by Ar L140–2
of H^+ on Ar 1517–28
of Li^+ ions by He 950–62, 963–72, 973–8
of particles by a two level atom in a radiation field 1995–2015
of polarized resonance radiation 987–96
phase-shift using an integral equation 497–507
polarization of atomic line radiation excited by electron impact 1126–37
pseudo-potential method for e^-–N_2 1696–711
resonances from CO 1890–7
S state elastic resonance 2225–30
threshold behaviour of ionization for e–H collisions L137–9
velocity distribution of atoms from capillary arrays 80–8
virial theorem for variational functions 1439–55
collisions
distribution of particles in a parallel atomic beam 74–9
ionization of He by electrons 1559–71
elastic
application of distortion operator 346–54
of electrons by alkali metal atoms 2051–60
by helium 44–54, L26–30
by hydrogen 44–54, 1938–49, L26–30
by mercury 825–31
by polyatomic molecules 2212–24
by sodium 1482–505
of positrons
by atomic H_2 1138–48
by Bi and Se L211–3
By H_2 in a pseudo-state expansion 943–9
derived from atomic model L211–3
Schrödinger–Infield–Hull method
derivation of intensities for vibration–rotation of diatomic molecules 1470–7
Screening
collective effect in atomic Xe 110–32
doublets in x-ray satellite spectra 418–24
effect, calculated for Sm and Eu 218–28
Second Born approximation
applied to electron collisions with He 1320–31
used to calculate electron–atom or ion–atom cross sections L6–8

Second-order energy
of atoms, ground and singly excited states 1062–70
Selenium
differential cross section for elastic scattering of positrons L211–3
Sensitized fluorescence
modulation in Hg–Cd L170–1
Shift
in Ca resonance line
in perturbing gas 2310–9
Silicon
electron excitation cross section 1351–8
Single bond property
in diatomic molecules 761–5
Single electron jump
x ray satellite emission 710–3
Single–triplet splitting
core polarization correction in alkali earth atoms 746–60
Sodium
asymmetries for rotational transitions 1386–95
collision-induced energy transfer in electronically excited molecules 2098–106
continuous absorption coefficient of negative ions 1662–75
conversion of high energy positrons emitted by Na^{22} L167–9
excitation by electron impact 1126–37
inelastic cross section 265–76
lithium charge capture 492–6
low-energy scattering of electrons 1928–37
pressure broadening of 5889 Å spectral line due to He L79–82
scattering of electrons 1482–505
velocity dependence of total cross section 1744–55
cross section
for excitation by electron impact 508–13
for process $Na^+ + Li \rightleftharpoons Na + Li^+$ 492–6
Solar line
classification for Ni 366–70
Space charge amplification
method for ionization of Cs vapour 1735–43
Spark channel
collisional-radiative decay 89–94
Spectral
distribution, of Bremsstrahlung generated at constant potentials 1583–95
line broadening, two-particle self-energy expansion 1271–85
profile, measured from amplified spontaneous emission 371–6
lines
broadening in CH_2F_2 molecule 1427–30
from doubly excited He 832–8
line shapes
for atomic interaction subject to radiation damping 2236–56
in gases at low pressure 146–67
Spectrography
Cauchois, study of x-ray K absorption edge 1790–3
Spectroscopy
analysis of vibration–rotation spectrum of ammonia gas 408–17
classification of transitions in Ni and Co 366–70
electronic systems attributed to LuF L189–90
electronic systems attributed to LuH and LuD L187–8
energy levels in linear molecules 1293–301
inner ionization and configuration interaction in NO 1784–9
plasma, escape factor L98–100
radio-frequency saturation effects 878–89, 890–5
second electron distribution from thin C foils L20–2
translational, of H^-, produced by double charge exchange L110–4
ultraviolet spectra in the fifth period 1598–613
Spectrum
energy loss transmission 95–109
from slow heavy particle collision 1396–411
of ammonia 408–17, 1221–35, 1861–7
of beryllium 1031–7
of chromium 2143–51
of cobalt 2143–51
of diatomic molecules 2168–74
of dysprosium 2152–4
of fifth period elements 1596–613
of gadolinium 2152–4
of lanthanum 1096–1100
of lutecium deuteride L187–8
of lutecium fluoride L189–90
of lutecium hydride L187–8
of nickel 2143–51
of rare earths 2152–4
of sulphur 2032–8
of tellurium sulphide L172–3
of terbium 2152–4
of thulium 2152–4
of vanadium 2143–51
of xenon 110–32
of yttrium 2332–8
photoabsorption 110–32
quasar L83–6
x ray 1794–1809, 2032–8, 2152–4
Spherical harmonics
in integrand 2155–67
Spin

orbit interactions, perturbations between lowest states for HF^+ 425–31
polarization
for elastic scattering of electrons by alkali metal atoms 2051–60
related to photoelectron angular distribution in photoionization 2257–71
Spontaneous emission
amplified, measured for spectral profile from Xe 371–6
from coupled interactions of dissimilar lifetimes 2236–56
of atoms in a laser field 1995–2015
Stark
profile, of transitions in a dense, laser produced He plasma 1017–30
shift
shift, for decaying states of two-level atom 1844–60
broadening
calculations in the region of forbidden components L35–8
line shapes for HeII resonance line in He plasma L220–3
quantum theory 903–11
shift and asymmetry of broadened H_2 lines in plasma L153–6
validity of unified classical path theory L33–5
Stopping power
for rare gases 476–82
Sturmian function
third harmonic generation coefficient of H_2 atom 1149–54
Subshell contribution
to stopping power of rare gases 476–82
Sulphur
interpretation of Kβ x ray emission 2032–8

Target wavefunction
effect of correlation on ionization of He 1688–95
Tellurium
oxide, ground state L132–3
sulphide, electron spectrum L172–3
Terbium
x ray spectrum 2152–4
Term
dependence, for $nln'l$ configurations 1302–7
system, of BeIII 1031–7
Third harmonic generation coefficient
of H_2 atom 1149–54
Thomas–Fermi theory
of binding energies of neutral atoms 466–75
Three-body
association reaction, between ion and atom in rare gases 355–65
break-up process, Kohn variational principle 912–20
conversion, in pure rare gases 2134–42
expansion, charge exchange scattering amplitude 483–91
Threshold
excitation
of CO 1884–9
of He 66–73
law
for C–H collisions L137–9
for $n \rightarrow n+1$ transitions 2199–211
photoionization
of He metable states 2272–81
H^- and He 2282–91
Thulium
existence of Lβ'_1 satellite in x ray spectra 2152–4
Time-dependent
fields, induces transitions between highly excited states L53–5
potential, effect on radiation damping of atomic states 2236–56
Time-of-flight technique
detection of metastable atoms L214–6
measurement of electron impact excitation functions for metastable He and Ar 1712–8
Townsend–Huxley diffusion experiment
effect of Lorentz approximation 2025–31
T matrix
elastic e–H differential cross section L104–6
Transition
amplitude for highly excited states L53–5
between levels of principle quantum numbers 3–4 in Fe and Ma 1255–69
fine structure, in excited Rb atoms colliding with rare gas atoms 265–76
in dense laser-produced He plasma 1017–30
Li^- free–free scaled absorption coefficient 514–6
magnetic-quadrupole, in He-like ions 213–7
matrix 1922–7
radiofrequency, in dressed atom L4–5
to $n = 2$ state of He^+ ion L67–70
2s-*np*, *ns*-*n'*d, 2p-*n*d and 3s-*np* or Si XII 1351–8
validity of Franck–Condon principle for $H^+ \rightarrow H^-$ collisional transitions L58–62
virtual, electron collision with Hg atoms 825–31
moment
for $X\ ^1\Sigma_g^+$–$B\ ^1\Sigma_u^+$ transition of H_2 927–33
in CO 896–904
integral, derived from hypervirial theorem 921–6
variation with internuclear separation for

comet-tail band system of CO^+ 199–203
rotational
in the $Na_2(B\,^1\Pi_u)$ state 1386–95, 2098–106
of linear molecules 255–64
Transport property
of nonpolar–polar gases 1950–8
Trapped-electron method
excitation functions of the $n = 2$ states of He 66–73
for electron impact threshold excitation of CO 1884–9
Two-electron
atom
autoionization state 1120–5
radially correlated ground state wavefunction 1059–61
ion
first order perturbation correction to expectation values 1655–61
Two-level atom
particle scattering in a strong radiation field 1995–2015
Two-potential formula
for low-energy scattering L115–7

Ultraviolet
doublet
intensity measurements on band systems of CO_2^+ 1417–26
spectrum
of chromium 2143–51
of cobalt 2143–51
of helium 1192–210
of the fifth period elements 1596–613
of nickel 2143–51
of vanadium 2143–51
Unbound state
application of least squares method to calculation for He 1359–68

Vanadium
classification of ultraviolet spectra 2143–51
van der Waals coefficient
for atomic systems 1431–8
for neon L151–2, 397–401
van Vleck's hypothesis
calculation of Λ doubling in $^2\Pi$ states of diatomic molecules 204–12
Variable phase
method used to calculate properties of H_2^+ molecular ion 27–8
Variational
calculation, for n^3P_2–1^1S_0 magnetic-quadrupole decay rates 213–7
principle, for 3-body break-up processes 912–80
scattering, calculation by method of models L30–2
technique, calculation of resonances in e–H scattering L178–80
Velocity
dependence, of elastic cross section for Au neutrals on Ar^0 L140–2
matrix elements, in quadrupole transition calculation 184–92
selector disc, made from thin copper–beryllium 2123–5
structure, in laser-produced plasma 1975–87
Very high gas densities
electron attachment to molecules 1211–20
Vibration
of the H_2^+ molecular ion 27–8
Vibrational
constant, for HeH^+ influence of electron correlation L160–3
relaxation, of anharmonic oscillator L8–11
spacing, prediction for Ar and Ne ions 2126–33
transition, absolute cross section in the Na_2 ($B\,^1\Pi_u$) state 2098–106
Vibration–rotation
interaction, inversion spectrum of ammonia 1861–7
matrix elements of diatomic molecules 1470–7
spectrum of ammonia gas 408–17
Virial
theorem, generalization in collision theory 1439–55
coefficient
of diatomic gas 1676–80
of nonpolar–polar gas mixtures 1950–8
of polar gas 2039–50
of polyatomic gas 16–26, 1676–80

Water
scattering of electrons by polyatomic molecules 2212–24
Wavefunction
couolomb 1823–32
effect of inaccuracies on formulae for photoionization of 2-electron systems 517–24
expanded for neutral C_2 L91–3
for beryllium 37–43
for carbon L91–3
for charged particles scattering 537–45
for complex atom 242–9, 1827–43
for helium-like atomic structure 810–9
for hydrogen ion 1833–6, 1837–43
for lead 766–7
molecular, assessment of one centre and poly centre 773–89
perturbed orbital for complex atom 242–9
radial approximations for Fe group elements L124–8

radially correlated for 2 electron atoms 1059–61
target, correlation effect 1688–95
three-body fermion, used to derive conditions for a one-body reduced density matrix 7–15
variational, adiabatic theorem 741–5
zero-energy 1138–48
Wentzel–Druyvesteyn satellite
interpretation of x ray emission spectra 1794–809

Xenon
collective effects in atomic photoabsorption spectra 110–32
measurements of three-body conversion reactions 2134–42
photoionization 1096–1100
resonance broadening 2310–9
spontaneous emission, amplified 371–6
x ray
electronic correlations for scattering by Ne(^{1}S) 1965–74
polarization 1906–15
satellite emission by single electron jump 710–3
scattering of neon 1965–74
screening doublets in satellite spectra 418–24
spectra
of covalent compounds 1794–809
of rare earths 2152–4
of sulphur 2032–8

Yttrium
emission spectrum 2232–8

Zero-energy wavefunction
used to calculate electron–positron annihilation rate 1138–48
Z-expansion coefficient
for a closed shell atom L147–50
Zinc
compounds, x ray K absorption edge 1790–3
electron impact spectrum of vapour 701–9
oscillator-strength 701–9, 2304–9
x ray K absorption edge 1790–3

Author index with titles

Abignoli M, Barat M, Baudon J, Fayeton J and Houver J C: differential measurements on ion–atom collisions in the energy range 500–3000 eV: IV. H^+–noble gas atom collisions 1533

Adams A: *see* King G C M L249

Adams G: *see* Katriel J 1

Adams N G: *see* Plumb I C 1762

Ahmad N and Key M H: plasma temperature in laser pulse induced gas breakdown 866

Allison D C S, Burke P G and Robb W D: R-matrix theory of atomic polarizabilities 55

Allison D C S, Burke P G and Robb W D: Van der Waals coefficients for atomic systems involving non-spherical atoms 1431

Allison W, Dunning F B and Smith A C H: secondary electron ejection from metal surfaces by metastable atoms: III. Energy and angular distributions of the ejected electrons 1175

Ali Z: *see* Chaghtai M S Z 2332

Anderson V E: *see* McCorkle D L 1211

Andrick D, Eyb M and Hofmann H: a cusp in low energy electron–sodium scattering L15

Angel G C and Giles R A: the velocity distribution of atoms issuing from a multi-channel glass capillary array and its implication on the measurement of atomic beam scattering cross sections 80

Anketell J: *see* Hasson V 1248

Appell J: *see* Durup J L110

Appell J: *see* Fournier P G L58

Atlick P L: a simple, radially correlated ground state wavefunction for two electron atoms 1059

Awad G L: *see* Hasted J B 1719

Bacis R: *see* d'Incan J L187

Bacis R: *see* d'Incan J L189

Badawi M, Bessis N and Bessis G: on the introduction of the rotation–vibration coupling in diatomic molecules and the factorization method L157

Badawi M, Bessis N and Bessis G: calcul des intensites de vibration–rotation d'une molecule diatomique par la methode de factorisation 1470

Bagus P S: *see* Kim Y L193

Bain R A and Bardsley J N: shape resonances in atom–atom collision: I. Radiative association 277

Baker R S and Gough W: observation of modulation in Hg–Cd sensitized fluorescence L170

Banyard K E, Dixon M and Tait A D: influence of electron correlation on vibrational and rotational constants of HeH^+ L160

Banyard K E and Sutton A: assessment of one centre and poly centre molecular wavefunctions 773

Barat M, Dhuicq D, Francois R, McCarroll R, Piacentini R D and Salin A: inelastic processes in He^+–He collisions 1343

Barat M: *see* Abignoli M 1533

Barat M: *see* Francois R 963

Bardsley J N and Junker B R: complex coordinate space calculations for resonant states L178

Bardsley J N: *see* Bain R A 277

Barrow R F, Dudley M A H, Hitchings M R and Yee K K: the electron spectrum of gaseous TeS L172

Barrow R K and Hitchings M R: the $\Omega = 1,0^+$ separation in the $^3\Sigma^-$ ground state of gaseous TeO L132

Barua A K: *see* Datta K K 16

Barua A K: *see* Datta K K 1676

Barua A K: *see* Mullick K 1381

Barua A K: *see* Rakshit A B 1950

Barua A K: *see* Saha S 1369

Bates D R and McDonough W R: deduction of classical binary encounter approximation from Born approximation L107

Bauche J and Klapisch M: remarks on Brillouin's theorem in the atomic variational approach 29

Baudon J: *see* Abignoli M 1533

Beaty E C: *see* Opal C B 627

Beckett S T: *see* Imhof R E 896

Bekefi G: *see* Ya'akobi B 1017

Belkic Dz S: *see* Janev R K L237

Bell R J, Bish D R B and Gill P E: separate subshell contributions to the stopping power of rare gases 476

Bell K L and Kingston A E: the ionization of helium like ions by high energy photons 517

Bergmann K and Demtröder W: inelastic collision cross section of excited molecules: II. Asymmetries in the cross section for rotational transitions in the $Na_2(b\,^1\Pi_u)$ state 1386

Bergmann K and Demtröder W: inelastic cross sections of excited molecules III. Absolute cross sections for rotational and vibrational transitions in the $Na_2(b\,^1\Pi_u)$ state 2098

Bernstein H B: *see* Dickinson A S 355

Berrondo M: *see* Novaro O 1104

Bessis N: *see* Badawi M L157

Bessis N: *see* Badawi M 1470

Bessis G: *see* Badawi M L157

Bessis G: *see* Badawi M 1470

Beyer H-J and Kleinpoppen H: fine structure measurements in He^+, $n = 4$: II. Intervals S-D and Lamb shift $P_{3/2}$–$D_{3/2}$ L12

Beynon J D E and Brooker P G: the determination of the electron collision cross sections for momentum transfer of argon and potassium by measuring the DC conductivity of a high pressure plasma 849
Beynon J D E and Brooker P G: an experimental technique for the determination of the electron collision cross sections for momentum transfer of alkali metals at low electron energies 2117
Beynon J D E: *see* Brooker P G 1186
Bhattacharya D M: *see* Chaudhuri J 525
Bhattacharyya S K: *see* Rakshit A B 1950
Biaz T and Pham D W: comments on the use of the 'escape factor' in plasma spectroscopy L98
Birtwhistle D T and Modinos A: dissociative attachment in hot molecules 445
Bish D R B: *see* Bell R J 476
Bjorna N: perturbation approach for solving constrained SCF–LCAO–MO equations: I. The general theory 721
Bjorna N: perturbation approach for solving constrained SCF–LCAO–MO equations: II. Application to a calculation on N_2 732
Black G: *see* Slanger T G 1988
Blaha M: *see* Kastner S 1351
Blair W G F: *see* Gilbody H B L101
Bolger J E: *see* Moore C F L253
Borland R E and Dennis K: the conditions on the one-matrix for three-body fermion wavefunctions with one-rank equal to six 7
Bottcher C: long-range interactions in electron scattering: the threshold law for $n \to n + 1$ transitions 2199
Bottcher C and Oppenheimer M: nonresonant charge-capture: $Na^+ + Li \rightleftharpoons Na + Li^+$ 492
Bowtell G: perturbation theory for the relativistic Hartree–Fock equations for atoms: II. The magnetic interaction 2
Bowtell G: *see* Sharma C S 1062
Bransden B H and Coleman J P: the use of second order potentials in the theory of the scattering of charged particles by atoms: I. General theory 537
Bransden B H, Coleman J P and Sullivan J: the use of second order potentials in the theory of scattering of charged particles by atoms: II. Electron and proton scattering by hydrogen atoms 546
Bransden B H: *see* Sullivan J 2061
Briggs J S and Macek J: the production of K shell vacancies in symmetric ion–atom collisions 579
Brooker P G and Beynon J D E: the determination of the collision cross section for momentum transfer of nitrogen by two different experimental techniques 1186
Brooker P G: *see* Beynon J D E 849
Brooker P G: *see* Beynon J D E 2117
Browne C P: *see* Moore C F L253
Bryce W M and Mandl F: A Kohn variational principle for three body break-up processes 912
Burgess D D and McIlrath T J: equality of absorption and emission line shapes for the Stark broadened He II resonance line in a helium plasma L220
Burgess D D and Mahon R: observed discrepancies in the central region of the Hβ profile at low electron densities 1756
Burke P G and Chandra N: electron–molecule interactions: III. A pseudo-potential method for $e^- - N_2$ scattering 1696
Burke P G, Chandra N and Gianturco F A: electron–molecule interactions IV. Scattering by polyatomic molecules 2212
Burke P G, Hibbert A and Robb W D: wavefunctions and oscillator strengths for the beryllium iso-electronic sequence 37
Burke P G and Robb W D: elastic scattering of electrons by hydrogen and helium atoms 44
Burke P G: *see* Allison D C S 55
Burke P G: *see* Allison D C S 1431
Burke P G: *see* Jacobs V L L67
Burke P G: *see* Jacobs V L 2272
Burke P G: *see* Hyman H A 2282

Caby-Eyraud M and Nguyen-Hoe: about the electronic shifts of the Stark broadened Lyman-α lines L153
Caledonia G E and Center R E: a comment on the vibrational relaxation of anharmonic oscillators L8
Campbell J L: on recent measurements of the Coster–Kronig probability f_{23} in the region $Z \geq 90$ L40
Canter K F, Coleman P G, Griffith T C and Heyland G R: measurements of total cross sections for low energy positron–helium collisions L167
Capitelli M and Ficocelliv E: collision integrals of oxygen atoms in different electronic states 2066
Carrington C G: cascade effects in neon life time measurements 1572
Carrington C G, Corney A and Durrant A V: collision cross section for the neon 2p levels at 870K 1001
Carroll P K, Collins C C and Murnaghan J T: rotational studies of the Gaydon–Herman (green) bands of N_2 1634
Carroll P K and Yoshino K: the c_u $^1\Pi_u$ and c'_u $^1\Sigma_u^+$ Rydberg states of N_2: high resolution studies 1614
Carse G D: low energy inelastic scattering of electrons by atoms 1928
Center R E: *see* Caledonia G E L8
Chaghtai M S Z, Ali Z and Khatoon S: the emission spectrum of yttrium VI 2332

Chandra N: *see* Burke P G 1696
Chandra N: *see* Burke P G 2212
Chapman C J and Herzenberg A: dissociative attachment and a resonance near an excitation threshold 790
Chaudhuri J, Bhattacharya D M and Sil N C: 3s and 3p excitations of atomic hydrogen by proton and α-particle impact 525
Chen J C Y and Hambro L: Glauber type eikonal approximation for 'angle' trajectories L199
Chen J C Y, Ishihara T, Ponce H V and Watson K M: differential cross sections in the p^+–H collisions L205
Christophorou L G: *see* McCorkle D L 1211
Cobić B: *see* Vujović M 2085
Cohen M, Feldmann T and McEachran R P: improved lower bounds to energy levels 193
Cohen M, McEachran R P and Rosenthal D: length and velocity matrix elements in quadrupole transition calculations 184
Cohen M: *see* Jackson M 927
Cole J B and Sanders J H: spectral profile measurements of amplified spontaneous emission by a heterodyne method 371
Coleman J P: comments on Pradhan's 'impulse approximation' L19
Coleman J P: evaluation of a class of integrals by summing Legendre series: II. Integrands containing spherical harmonics 2155
Coleman J P: *see* Bransden B H 537
Coleman J P: *see* Bransden B H 546
Coleman J P: *see* Sullivan J 2061
Coleman P G: *see* Canter K F L167
Collins C C: *see* Carroll P K 1634
Conklin G M: *see* Lorents D C 950
Cooper J: *see* Smith E W L33
Cordes M R: *see* Rotenberg M 2225
Corney A and Williams O M: measurement of the radiative life-time of the $^1S_0$ metastable level of atomic oxygen 686
Corney A: *see* Carrington C G 1001
Cornille M: *see* Naon M 1965
Coulaud G: *see* Sassi M L35
Coulson C A and Nash J C: transition moment integrals and the hypervirial theorem: I 921
Cowan R D: *see* Fawcett B C 2143
Cowan R D: *see* Fawcett B C 1255
Craggs J D: *see* Janssen J J 89
Cunningham A J and Hobson R M: dissociative recombination at elevated temperatures: I. Experimental measurements in krypton afterglows 1773
Cunningham A J and Hobson R M: dissociative recombination at elevated temperatures: III. O_2^+ dominated afterglows 2320
Cunningham A J and Hobson R M: dissociative recombination at elevated temperatures: IV. N_2^+ dominated afterglows 2328
Cunningham A J: *see* O'Malley T F 2126
Damburg R and Propin R: the effect of 2s–2p close coupling on the cross section for excitation of the 2p state of the hydrogen atoms by electrons at high energies 533
Damburg R J and Propin R Kh: rotational structure of the inversion spectrum of ammonia 1861
Darji A B: *see* Shah S G L191
Datta K K and Barua A K: contributions of the nonspherical interactions to the third virial coefficient of a polyatomic gas 16
Datta K K and Barua A K: contributions of nonspherical and nonadditive molecular interactions to the third virial coefficient of a diatomic and polyatomic gas 1676
Davison W D and Liew Y C: a calculation of the interaction potential and hyperfine shift in HeH 309
Dean A G: *see* Smith D 2134
Demtröder W: *see* Bergmann K 1386
Demtröder W: *see* Bergmann K 2098
Dennis K: *see* Borland R E 7
Deodhar G B and Rai S: systematic study of screening doublets in x ray satellite spectra 418
Deodhar G B and Rai S: x ray satellite emission by single electron jump 710
Der R C: *see* Fortner R J L73
Devine K R and Stewart A L: a perturbation calculation of helium 432
Devine K R and Stewart A L: perturbation corrections to Hartree–Fock oscillator strengths for helium 2182
Dhuicq D: *see* Barat M 1343
Dhuicq D: *see* Francois R 963
Dickinson A S, Roberts R E and Bernstein R B: ion–atom association reactions in the rare gases 355
d'Incan J, Effantin C and Bacis R: nouveaux spectres électroniques attribues aux molecules LuH et LuD L187
d'Incan J, Effantin C et Bacis R: spectre électronique de la molecule LuF L189
Dixon M: *see* Banyard K E L160
Dolder K and Peart B: comments on Rundel's discussion of proton production by collisions between electrons and H_3^+ L129
Dolder K T: *see* Peart B 860
Dolder K T: *see* Peart B 1554
Donaldson F G, Hender M A and McConkey J W: Vacuum ultraviolet measurements of the electron impact excitation of helium 1192
Doolen G D: *see* Hidalgo M B L70
Doran M B: the multipole long range (Van der Waals) interaction coefficients for neon L151
Dose V and Gunz R: electron loss from metastable hydrogen 636
Dose V and Gunz R: electron capture by metastable hydrogen 1412

Drachman R J: the method of models in variational scattering calculations L30
Dudley M A H: *see* Barrow R F L172
Dunn M H: electron densities and drift velocities in a positive column He–Cd laser discharge 665
Dunning F B: *see* Allison W 1175
Duren R, Frick A and Schlier Ch: glory undulations of some alkali—molecule systems 1744
Durrant A V: the coherence properties of scattered light in a level crossing experiment 133
Durrant A V: an application of the concepts and methods of linear systems analysis to the scattering of resonance radiation by an atomic vapour 1456
Durrant A V: *see* Carrington C G 1001
Durup J, Appell J, Fehsenfeld F C and Fournier P: collision-radiation-collision three-step processes, and a measurement of the probability ratio for neutralization of 4 keV protons into either H(2p) or H(s) L110
Durup J: *see* Fournier P G L58
Dutton J and Powell J M: the influence of gas sampling techniques on measurements of pre-breakdown ionization in helium 1236

Effantin C: *see* d'Incan J L187
Effantin C: *see* d'Incan J L189
Ehrhardt H, Hesselbacher K H, Jung K and Willmann K: collisional ionization of helium by slow electrons 1559
Ehrhardt H, Hesselbacher K H, Jung K, Schulz M and Willmann K: collisional ionization of helium by 250 eV electrons: experiments with completely determined kinematics 2107
Eidelsberg M: the term system of Be III 1031
Eissner W and Seaton M J: computer programs for the calculation of electron–atom collision cross sections I. General formulation 2187
Epstein S T: an adiabatic theorem for variational wavefunctions 741
Ermolaev A M and Jones M: the singlet-triplet correction in the structure of two-electron ions L225
Even-Zohar M and Fraenkel B S: a study of EUV spectra in the fifth period 1596
Eyb M: *see* Andrick D L15

Faisal F H M: multiphoton ionization of hydrogenic atoms and the breakdown of perturbative calculations at high intensities L196
Faisal F H M: Multiphoton ionization by circularly and linearly polarized light: II L233
Faisal F M H: Multiphoton transitions: III. Rates of multiphoto detachment of negative ions L256
Farmer A J D: *see* Hasson V 1241
Farmer A J D: *see* Hasson V 1248
Fawcett B C, Cowan R D and Hayes R W: new classification of highly ionized Ni, Co, Cr, V and isoelectronic spectra 2143
Fawcett B C, Cowan R D, Kononov E Y and Hayes R W: the classification of transitions between levels of principal quantum numbers 3 and 4 in Fe IX to XVI and Mn VIII to XV 1255
Fawcett B C and Hayes R W: the classification of Ni XI to XVII and Co X to XVII emission lines from $3s^23p^n - 3s3p^{n+1}$ and $3p^n - 3p^{n-1}3d$ transitions and the identification of nickel solar lines 366
Fayeton J: *see* Abignoli 1533
Feautrier N: *see* Vo Ky Lan 1506
Fehsenfeld F C: *see* Durup J L110
Fehsenfeld F C: *see* Fournier P G L58
Feldmann T: *see* Cohen M 193
Ficocelliv E: *see* Capitelli M 2066
Fischer C F: term dependence of Hartree–Fock results for some *nln'l* configurations 1302
Flannery M R: a semiquantal treatment of hydrogen–hydrogen excitation and ionization collisions 334
Flower D R and Launay J M: on the validity of the distorted wave method in electron–atom collision theory L207
Fon W C and Gallaher D F: positron–hydrogen elastic scattering with inclusion of long range effects via a pseudostate expansion 943
Fortner R J, Der R C, Kavanagh T M and Garcia J D: variation of copper L shell fluorescence yield in ion–atom collisions L73
Foster C, Wilson I H and Thompson M W: elastic scattering of 5–90 eV neutral gold atoms by argon L140
Foster C, Wilson I H and Thompson M W: ion–atom scattering and interatomic potentials for ions of noble metals and period II elements incident on neon and argon with energies in the range 8–25 keV 1332
Fournier P G, Appell J, Fehsenfeld F C and Durup J: validity of Franck-Condon principle for $H^+ \rightarrow H^-$ double charge transfer of fast protons on H_2 at low scattering angle L58
Fournier P: *see* Durup J L110
Fraenkel B S: *see* Evan-Zohar M 1596
Fraga S: *see* Saxena K M S 768
Francey J L A and Stewart P K: the effect of the two-term Lorentz approximation on the Yownsend–Huxley diffusion experiment 2025
Francois R, Dhuicq D and Barat M: elastic and inelastic scattering of Li^+ ions by He 963
Francois R: *see* Barat M 1343
Frick A: *see* Duren R 1744

Gabriel A H and Paget T M: measurement and interpretation of dielectronic recombination satellite line intensities 673
Gallaher D F: *see* Fon W C 943

Garcia J D: *see* Fortner R J L73
Garg K B, Kapoor Q S and Nigam A N: Lβ_1 satellite in the x ray spectra of rare earths 2152
Gayet R: charge exchange scattering amplitude to first order of a three body expansion 483
Geltman S: *see* Hidalgo M B 265
Geltman S: *see* Hidalgo M B 617
Georege E V: *see* Ya'akobi B 1017
Gerber G, Morgenstern R and Niehaus A: ionization processes in slow collisions of heavy particles: I. He and He^+ on Ne, Ar, Kr, and Xe 1396
Gerber R B: solution of the inversion problem for nonspherically symmetric separable potentials L241
Gerjuoy E, Thomas B K and Sheorey V B: Glauber calculations of polarization of Lyman–α resulting from e^-–H (1s) collisions 321
Gianturco F A: *see* Burke P G 2212
Gilbody H B, Blair W G F, Simpson F R and McCullough R W: excitation in fast He–He collisions: the influence of metastable atoms L101
Gilbody H B: *see* Simpson F R 1959
Giles R A and Logan J A: a versatile photo-etched velocity selector disc 2123
Giles R A: *see* Angel G C 80
Gill P E: *see* Bell R J 476
Gillespie E S: simultaneous excitation and ionization of helium by electron impact 1916
Gohel V B: *see* Trivedi V M L38
Gordeev Yu S: *see* Vujović M 2085
Gough W: *see* Baker R S L170
Gray D R and Rees J A: the lateral diffusion of mass identified positive ions in oxygen 1048
Gresteau F: *see* Mazeau J 1890
Griffith T C: *see* Canter K F L167
Grover P S and Srivastava M P: temperature dependence of positron annihilation in helium, neon and argon 609
Gruyić P: A classical calculation of e–H collisions ionization threshold law L137
Gunz R: *see* Dose V 636
Gupta S P and Krishna B: the detailed analysis of the IOC–ω technique 1101
Gupta M K and Nigam A K: x ray K absorption edge of zinc in some of its compounds 1790
Gupta S P, Srivastava A K and Krishna B: on the usefulness of Harris' equation in semi-empirical LCAO–MO approximation 250
Gunz R: *see* Dose V 1412

Hahn L and Hertel V I: particle scattering by two level atoms in a strong radiation field 1995
Hall J A: *see* Hinkley R K 204
Hall R I, Reinhardt J, Joyez G and Mazeau J: near threshold electron impact excitation functions for the $n = 2$ states of helium by the trapped-electron method 66
Hall R I: *see* Mazeau J 1890
Hall R I: *see* Reinhardt J 1884
Hambro L: *see* Chen J C Y L199
Hameed S: core polarization corrections to oscillator strengths and singlet–triplet splittings in alkaline earth atoms 746
Hansen J W: Hartree–Fock predictions of the ^1P term in the p^5d configuration of the spectra in the Ar I and Kr I isoelectronic sequences 1083
Hansen J E: Hartree–Fock calculations for the $4d^95s^25p^54f$ configuration in La IV 1096
Hara S: behaviour of positrons in molecular gases: I. Rotational excitation of molecules by slow positrons 589
Hara S: *see* Massey H S W 599
Harrison K G: *see* Lucas M W L20
Hasson V, Farmer A J D and Nicholls R W: application of dispersion techniques to molecular band intensity measurements: I. Principles of 'fringe shift' and 'fringe slope' band analysis procedures 1241
Hasson V, Farmer A J D, Nicholls R W and Anketell J: application of dispersion techniques to molecular band intensity measurements: II. Oscillator strength of the (O,O) band of NO–($A\,^2\Sigma - X\,^2\Pi$) system 1248
Hasted J B and Awad G L: electron impact ionization of ions trapped in a hollow electron beam 1719
Hasted J B: *see* Larkins I W 95
Hawryluk R J: *see* Ya'akobi B 1017
Hayes R W: *see* Fawcett B C 366
Hayes R W: *see* Fawcett B C 1255
Hayes R W: *see* Fawcett B C 2143
Hender M A: *see* Donaldson F G 1192
Hertel V I: *see* Hahn L 1995
Herzenberg A: *see* Chapman C J 790
Hesselbacher K H: *see* Ehrhardt H 1559
Hesselbacher K H: *see* Ehrhardt H 2107
Heyland G R: *see* Canter K F L167
Hibbert A: *see* Burke P G 37
Hidalgo M B and Geltman S: theory of fine structure transitions in excited rubidium atoms colliding with rare gas atoms 265
Hidalgo M B and Geltman S: a high energy approximation: III. Helium excitation by electrons 617
Hidalgo M B, McGuire J H and Doolen G D: Glauber calculation of electron–hydrogen ionization cross sections L70
Hinkley R K, Hall J A, Walker T E H and Richards W G: a doubling in $^2\Pi$ states of diatomic molecules 204
Hinkley R K, Walker T E H and Richards W G: the variation of Λ doubling with rotational quantum number—BeH and BeD 2016
Hitchings M R: *see* Barrow R K L132
Hitchings M R: *see* Barrow R F L172
Hobson R M: *see* Cunningham A J 1773

Hobson R M: *see* Cunningham A J 2320
Hobson R M: *see* Cunningham A J 2328
Hobson R M: *see* O'Malley T F 2126
Hofmann H: *see* Andrick D L15
Holland R F: *see* Maier B II L118
Holøien E and Midtdal J: application of the multiconfiguration energy bound method to the Freshbach-type $^{1,3}P^e$ autoionization states of He 1111
Holt A R: on the simplified second born approximation L6
Holt A R and Santoso B: a Fredholm integral equation method for scattering phase shifts 497
Hood S T: *see* Lloyd C R L44
Hood S T: *see* Lloyd C R 1712
Houver J C: *see* Abignoli M 1533
Howarth J R: the excitation mechanism for the $c^3\Pi_u$ state of nitrogen in a glow discharge 402
Humberston J W and Wallace J B G: the elastic scattering of positrons by atomic hydrogen 1138
Humberston J W: *see* Thomas M A L229
Hutton N A and Roberts M J: a note on the off-shell Coulomb *T*-matrix: II. Elastic e–H differential cross sections L104
Hutton N A: a note on the off-shell Coulomb *T* matrix: III. Inelastic e–H differential cross sections L245
Hyman H A, Jacobs V L and Burke P G: photoionization of H^- and He above the $n = 2$ threshold 2282

Imhof R E, Read F H and Beckett S T: determination of the transition moment of the $B^1\Sigma^+ - X^1\Sigma^+$ transition in CO 896
Irons F E, McWhirter R W P and Peacock N J: the ion and velocity structure in a laser produced plasma 1975
Ishihara T: *see* Chen J C Y L205

Jackson A R: excitation of a C II line observed in in quasars L83
Jackson M, McEachran R P and Cohen M: the frozen-core approximation for diatomic molecules; the lowest $^1\Sigma^+$ states of H_2 927
Jacobs V L: magnetic-quadrupole decay of the low-lying n^3P_2 states of helium like ions 213
Jacobs V L: theory of atomic photoionization measurements 2257
Jacobs V L and Burke P G: photoionization of helium above the $n = 2$ threshold L67
Jacobs V L and Burke P G: photoionization of the helium metastable states above the $n = 2$ threshold 2272
Jacobs V L and Mizuno J: interaction of laser light with the 2^1S_0 metastable state of helium 1155
Jacobs V L: *see* Hyman H A 2282
Jain D: Einstein A coefficients, band oscillator strengths and absolute band strength for the comet-tail band system of CO^+ 199
Jamieson M J: time dependent Hartree–Fock treatment of elastic scattering of electrons by H and He^+ L26
Janev R K and Belkic Dz S: muonium formation in slow collisions of positive mesons with hydrogen atoms L237
Janev R K and Salin A: exchange interaction between ionic and covalent states of two atoms at large distances 177
Janssen J J and Craggs J D: collisional-radiative decay of spark channels in hydrogen 89
John T L: the photodetachment cross section of Li^- L121
John T L: the free–free transitions of Li^- 514
John T L: variational principles for the phase function method 438
John T L and Williams A R: the continuous absorption coefficient of alkali metal negative ions 1662
Jones M: *see* Ermolaev A M L225
Joshi S K: *see* Mathur K C 1529
Joyez G: *see* Hall R I 66
Joyez G: *see* Mazeau J 1890
Joyez G: *see* Reinhardt J 1884
Jung K: *see* Ehrhardt H 1559
Jung K: *see* Ehrhardt H 2107
Junker B R: *see* Bardsley J N L178

Kapoor Q A: *see* Garg K B 2152
Karamacheti K: *see* Tsongas G A 397
Karras M: *see* Kortela E-K 2032
Karule E: the spin polarization and differential cross sections in the elastic scattering of electrons by alkali metal atoms 2051
Katriel J and Adam G: on the determination of hypervirial theorems 1
Kastner S, Smith T S, Wade C and Blaha M: electron excitation cross sections for Si XII 1351
Kauffman R L: *see* Moore C F L253
Kavanagh T M: *see* Fortner R J L73
Key M H: *see* Ahmad N 866
Khare S P and Shobha P: elastic scattering of electrons by hydrogen molecules 1938
Khatoon S: *see* Chaghtai M S Z 2332
Killingbeck J: commutator techniques in perturbation theory 1655
Kim Y and Bagus P S: oscillator strengths for the resonance transitions in alkaline earth atoms L193
King G C M, Adams A and Read F H: polarization studies using the electron photon coincidence technique L249
King P W and Learner R C M: on the suppression of levels of high principal quantum number when using intense flash background sources L55

Kingston A E: *see* Bell K L 517
Klapisch M: *see* Bauche J 29
Kleinpoppen H: *see* Beyer H-J L12
Kobayashi T and Shimizu S: 100 and 200 keV position scattering by atomic nuclei L211
Kollar J: *see* Solt G L124
Kononov E Y: *see* Fawcett B C 1255
Kortela E-K, Suoninen E, Karras M and Manne R: molecular orbital interpretation of the valence x ray emission of elemental sulphur S_8 2032
Košinár I: *see* Martisovits V L214
Koutsoyannis S P: *see* Tsongas G A 397
Krause M O and Wuilleumier F: photoionization of helium: study of $He + h\nu = He^+ (n = 2) + e$ L143
Krishna B: *see* Gupta S P 250
Krishna B: *see* Gupta S P 1101

Labarthe J J: Brillouin's theorem for inter-shell correlations in the atomic Hartree–Fock method L181
Lam C S: *see* Varshni Y P 1833
Langhoff P W and Yates A C: moment theory bounds on the mean energies of stopping straggling, and molecular excitation 1071
Larkins I W and Hasted J B: electron transmission studies of decay channels of molecular resonances 95
Larkins F P: correlation diagrams: their use in the interpretation of heavy ion–atom inelastic collisions 571
Launay J M: *see* Flower D R L207
Lawson J: *see* Massey H S W 599
Learner R C M: *see* King P W L55
Le Dourneuf M, Saraph H E, Seaton M J and Vo Ky Lan: a critical discussion of previous close-coupling calculations for atomic oxygen L87
Le Dourneuf M: *see* Vo Ky Lan 1506
Lee R W: ion dynamic correction to forbidden line profiles L23
Lee R W: self-energy expansion of line-broadening 1271
Liew Y C and Moiseiwitsch B L: Fredholm and Padé approximation for coupled channels in scattering theory 299
Liew Y C and Moiseiwitsch B L: Fredholm–Padé approximation in scattering theory 1922
Liew Y C: *see* Davison W D 309
Lipovetsky S S and Senashenko V S: on the character of the interference of resonances with a continuum in the spectra of electrons ejected from atoms by protons L183
Lloyd P: charge shifts in the formation of a covalent bond 1868
Lloyd C R, Teubner P J O, Weigold E and Hood S T: excitation of the first excited state in argon by electron bombardment L44
Lloyd C R, Weigold E, Teubner P J O and Hood S T: excitation functions for the formation of metastable He and Ar by electron impact 1712
Logan J A: *see* Giles R A 2123
Lo B W N: *see* Saxena K M S 768
Lorents D C and Conklin G M: elastic and inelastic scattering in the $Li^+ + He$ system 950
Lucas M W and Harrison K G: beam foil Auger spectroscopy L20

McBride J O P and Nicholls R W: the vibration–rotation spectrum of ammonia gas I 408
McCallum J C and Nicholls R W: relative intensity measurements on the Fox–Duffendack–Baker ($A\ ^2\Pi_u$–$X\ ^2\Pi_g$) and the ultraviolet doublet ($B\ ^2\Sigma_u^+$–$X\ ^2\Pi_g$) band systems of CO_2^+ 1417
McCarroll R and Piacentini R D: elastic and inelastic scattering in Li^+–He collisions 973
McCarroll R: *see* Barat M 1343
McCavert P and Rudge M R H: on cross sections for the excitation of the alkalis, Li, Na and K by electron impact 508
McCavert P and Rudge M R H: on the identification of some lines arising from doubly excited states of helium 832
McConkey J W: *see* Donaldson F G 1192
McCorkle D L, Christophorou L G and Anderson V E: low energy (S1 eV) electron attachment to molecules at very high gas densities: O_2 1211
McCullough R W: *see* Gilbody H B L101
McDonough W R: *see* Bates D R L107
McDowell M R C: *see* Richards D 1811
McDowell M R C: *see* Woollings M J 1320
McEachran R P: *see* Cohen M 184
McEachran R P: *see* Cohen M 193
McEachran R P: *see* Jackson M 927
McFarlane S C: the polarization of characteristic x radiation excited by electron impact 1906
McGuire J H: *see* Hidalgo M B L70
McIlrath T J and Sandeman R J: revised absolute absorption cross sections of Ca I at 1886·5 and 1765·1 Å L217
McIlrath T J: *see* Burgess D D L220
McWherter J: *see* Moore C F L253
McWhirter J D G and Moiseiwitsch B L: generalization of the virial theorem in collision theory 1439
McWhirter R W P: *see* Irons F E 1975
Macek J: *see* Briggs J S 579
Macek J: *see* Shakeshaft R L63
Mahon R: *see* Burgess D D 1756
Maier B II and Holland R F: electronic transition moment for the comet tail system of CO^+ L118
Mandl F: *see* Bryce W M 912
Manne R: *see* Kortela E-K 2032

March N H and White R J: non-relativistic theory of atomic and ionic binding energies for large atomic number 466
Marr G V and Wherrett S R: the ionization of caesium vapour by the method of space charge amplification 1735
Mathur K C, Tripathi A N and Joshi S K: electron loss in atom–molecule collisions 1529
Martišovitš V and Košinár I: a note on the time-of-flight technique of the detection of metastable atoms L214
Mason E A, O'Hara H and Smith F J: mobilities of polyatomic ions in gases: core model 169
Massey H S W, Lawson J and Hara S: behaviour of positrons in molecular gases: II. Dependence of annihilation rates of positrons in rare gases on the presence of molecules 599
Matić M: *see* Vujović M 2085
Matvijenko A V and Ponomarev L I: number of vibrational levels of the molecular hydrogen ion 27
Mazeau J, Gresteau F, Joyez G, Reinhardt J and Hall R I: resonances in electron scattering from CO 1890
Mazeau J: *see* Hall R I 66
Mazeau J: *see* Reinhardt J 1884
Mendel H: a theoretical interpretation of the x ray emission spectra of covalent compounds 1794
Metchnik V I: *see* Parsons R W 1221
Midtdal J: *see* Holøien E 1111
Michalik B: an application of the distortion operator method to elastic scattering 346
Mizuno J: use of the sturmian function for the calculation of the third harmonic generation coefficient of the hydrogen atom 1149
Mizuno J: pseudo particle method for nonlinear polarizabilities and multi-photon processes 1875
Mizuno J: *see* Jacobs V L 1155
Modinos A: *see* Birtwhistle D T 445
Mohan M and Thareja R K: multiphoton ionization of atomic hydrogen in the presence of an intense electromagnetic field L134
Mohr C B O: channel coupling and atomic polarization in electron collisions with mercury atoms 825
Moisewitsch B L: *see* Liew Y C 299
Moiseiwitsch B L: *see* Liew Y C 1922
Moiseiwitsch B L: *see* McWhirter J D G 1439
Moore C F, Wolter H H, Kauffman R L, McWherter, Bolger J E and Browne C P: high resolution of K x ray spectrum of 30 MeV chlorine ion beam L253
Moores D L: electron impact ionization of positive ions with configuration $1s^2 2s^2 P$ 286
Moores D L and Norcross D W: the scattering of electrons by sodium atoms 1482
Morgenstern R: *see* Gerber G 1396
Mullick K, Roy C S and Barua A K: distortion polarization of orbitals and the asymmetry in the forward-backward scattering fragments and dissociation of $(HeH)^+$ ion 1381
Mullick K: *see* Saha S 1369
Murnaghan J T: *see* Carrol P K 1634
Murthy B N: *see* Murthy N S 714
Murthy N S and Murthy B N: intensity measurements and relative band strengths of the band of $(B \rightarrow X)$ system of lanthanum oxide 714

Naccache P F: matrix elements and correspondence principles 1308
Naon M and Cornille M: the importance of electronic correlations for the calculation of x ray and fast electron scattering by $Ne(^1S)$ 1965
Narayana B and Price W C: ionization of the σ^*2s orbital of NO and configuration interaction effects on the spin-split states arising from inner orbital ionization in paramagnetic molecules 1784
Nash J C: *see* Coulson C A 921
Netterfield R P, Parsons R W and Roberts J A: an experimental study of the shapes of microwave spectral lines in gases at low pressures 146
Newell W R and Ross K J: high resolution study of the electron impact spectrum of zinc vapour at kinetic energies 50–150 eV and in the angular range 0°–11° 701
Newell W R and Ross K J: extrema in the generalized oscillator strengths of the resonance transitions in zinc and cadmium 2304
Nguyen-Hoe: *see* Caby-Eyraud M L153
Niehaus A: *see* Gerber G 1396
Nicholls R W: *see* Hasson V 1241
Nicholls R W: *see* Hasson V 1248
Nicholls R W: *see* McBride J O P 408
Nicholls R W: *see* McCallum J C 1417
Nigam A K: *see* Gupta M K 1790
Nigam A N: *see* Garg K B 2152
Norcross D W: *see* Moores D L 1482
Novaro O and Berrondo M: approximate symmetry of the periodic table 1104
Nussbaumer H: improved bound wavefunctions for complex atoms 1837
Nuttall J and Stagat R W: the on-shell Coulomb *T* matrix L51

Oberoi R S: auto-ionization states of two electron atoms 1120
O'Hara H: *see* Mason E A 169
Ojha S P, Tiwari P and Rai D K: exchange excitation of helium by electron impact 2231
O'Malley T F, Cunningham A J and Hobson R M: dissociative recombination at elevated temperatures: II. Comparison between theory

and experiment in neon and argon afterglows 2126
Opal C B and Beaty E C: measurements of large angle inelastic scattering cross sections for electrons on helium 627
Oppenheimer M: *see* Bottcher C 492
Orient O J: the mobility of mass-identified D^+ ions in helium gas 1056

Paget T M: *see* Gabriel A H 673
Pandey P C and Srivastava S L: collision broadening of 0,0 → 1,0 rotational line of CH_3 ^{81}Br: I. Broadened by polar molecules 997
Pandey P C and Srivastava S L: self broadening of microwave spectral lines of the slightly asymmetric top molecules CH_2F_2 1427
Pandey P C and Srivastava S L: collision broadening of 0,0 → 1,0 rotational line of CH_3 ^{81}Br: II. Broadened by quadrupolar and non polar molecules 2074
Parcell L A: solution of differential equations for exchange matrix elements in heavy particle collisions 1478
Parsons R W, Metchnik V I and Story I C: pressure induced shifts of the $(J, K) = (12,12)$ inversion line in the microwave spectrum of ammonia 1221
Parsons R W: *see* Netterfield R P 146
Patel M M: *see* Shah S G L191
Pavlichenkov A V and Senashenko V S: the excitation of autoionized $^3P^{(-)}$ states and the resonance ionization of the helium atom by electron impact 1898
Peacock N J: *see* Irons F E 1975
Peart B and Dolder K T: collisions between electrons and H_2^+ ions: II. Measurements of cross sections for dissociative excitation 860
Peart B and Dolder K T: collisions between electrons and H_2^+ ions: III. Measurements of proton production cross sections at low energies 1554
Peart B: *see* Dolder K L129
Peck J M: *see* Ramaker D E 2175
Pegg D T: semi-classical theory of radiofrequency transitions in a dressed atom L4
Pendlebury J M and Ring D B: ground state hyperfine structures and nuclear quadrupole moment of ^{95}Mo and ^{97}Mo 386
Peterkop R and Rabik L: asymptotic expansion of double-continuum Coulomb wavefunction 1823
Pham D W: *see* Biaz T L98
Piacentini R D: *see* Barat M 1343
Piacentini R D: *see* McCarroll R 973
Piper J A and Sandle W J: the effect of resonant collisions on the lifetime of the 6^3P_1 state in mercury 377
Pipkin F M: *see* Silverman M P 1844
Pipkin F M: *see* Silverman M P 2236
Plumb I C, Smith D and Adams N G: formation and loss of O_2^+ and O_4^+ ions in krypton–oxygen afterglow plasmas 1762
Plumb I C: *see* Smith D 2134
Poizat J C and Remillieux J: channelling effects on the transmission of MeV H_2^+ ions through thin gold single crystal L94
Ponce V H: *see* Chen J C Y L205
Ponomarev L I: *see* Matvijenko A V 27
Powell J M: *see* Dutton J 1236
Price W C: *see* Narayana B 1784
Propin R Kh: *see* Damburg R 533
Propin R Kh: *see* Damburg R J 1861

Rabik L: *see* Peterkop R 1823
Raftery J and Richards W G: the electronic structure of HF^+ 425
Raftery J, Scott P R and Richards W G: energy levels in linear molecules: the inapplicability of Hund's rules 1293
Rai D K: *see* Ojha S P 2231
Rai D K: *see* Rai S B 1038
Rai S B, Rai D K and Upadhya K N: analysis of some bands of the system of PO 1038
Rai S: *see* Deodhar G B 418
Rai S: *see* Deodhar G B 710
Rakshit A B, Bhattacharyya S K and Barua A K: transport properties and second virial coefficient of nonpolar–polar gas mixtures 1950
Ramaker D E and Peek J M: H_2^+ dipole strengths by asymptotic techniques 2175
Read F H: branch structure in rotational excitation by resonant electron molecule collisions 255
Read F H: the least squares method for unbound states 1359
Read F H: *see* Imhof R E 896
Read F H: *see* King G C M L249
Rebelo I and Sharma C S: a theorem on the Hartree–Fock equations for the *nsms* ^1S states of helium with orthogonal orbitals 1286
Rees J A: *see* Gray D R 1048
Reinhardt J, Joyez G, Mazeau J and Hall R I: electron impact threshold excitation of CO by the trapped-electron method 1884
Reinhardt J: *see* Hall R I 66
Reinhardt J: *see* Mazeau J 1890
Remillieux J: *see* Poizat J C L94
Richards D: transition amplitude for transitions between highly excited states L53
Richards D and McDowell M R C: a dispersion relation for the Coulomb T matrix 1811
Richards W G: *see* Hinkley R K 2016
Richards W G: *see* Hinkley R K 204
Richards W G: *see* Raftery J 425
Richards W G: *see* Raftery J 1293
Ring D B: *see* Pendlebury J M 386
Robb W D: *see* Allison D C S 55
Robb W D: *see* Allison D C S 1431

Robb W D: *see* Burke P G 37
Robb W D: *see* Burke P G 44
Roberts J A: *see* Netterfield R P 146
Roberts M J: *see* Hutton N A L104
Roberts R E: *see* Dickinson A S 355
Robertson A G: the momentum transfer cross section for low energy electrons in neon 648
Robson R E: the significance of high momentum-transfer collisions in ionized gases 839
Rosenthal D: *see* Cohen M 184
Ross K J: *see* Newell W R 701
Rotenberg M and Cordes M R: S state resonances in elastic e–H scattering in the absence of degeneracy 2225
Roy C S: *see* Mullick K 1381
Ross K J: *see* Newell W R 2304
Roueff E: the pressure broadening of NaI 5889 Å and 5895 Å by thermal and high temperature neutral helium L79
Rudge M R H: *see* McCavert 508
Rudge M R H: *see* McCavert P 832
Rundel R D: proton production in collisions between electrons and H_2^+ ions L76

Sakai Y, Tagashira H and Sakamoto S: the variation of steady state electron mean energy between parallel plates in argon 1010
Sakamoto S: *see* Sakai Y 1010
Salin A: *see* Barat M 1343
Saha S, Mullick K and Barua A K: effect of dipole moment on the collision induced dissociation of HD^+ ion by electron impact 1369
Salin A: ionization of helium by proton impact 979
Salin A: *see* Janeve R K 177
Sandeman R J: *see* McIlrath T J L217
Sanders J H: *see* Cole J B 371
Sandle W J and Williams O M: a classical approach to coherence narrowing during multiple scattering of resonance radiation: general polarization case 987
Sandle W J: *see* Piper J A 377
Santoso B: *see* Holt A R 497
Saraph H E: *see* Le Dourneuf M L87
Sarma C R: semiempirical evaluation of single bond properties in diatomic molecules 761
Sassi M and Coulaud G: calculated ionic profiles in the region of the forbidden component CsI(6G–5D) L35
Saxena K M S: numerical Hartree–Fock self-consistent-field wavefunctions for Pb^{4+} 766
Saxena K M S, Lo B W N and Fraga S: complete orbit–orbit interaction in many-electron atoms 768
Schlier Ch: *see* Duren R 1744
Schulz M: *see* Ehrhardt H 2107
Scot P R: *see* Raftery J 1293
Seaton M J: a frozen cores approximation for the nine lowest even parity levels of C I L91
Seaton M J and Wilson P M H: a frozen cores approximation for atomic structure calculations L1
Seaton M J and Wilson P M H: a polarized core approximation for atomic structure calculations L175
Seaton M J: *see* Le Dourneuf M L87
Seaton M J: *see* Eissner W 2187
Senashenko V S: *see* Lipovetsky S S L183
Senashenko V S: *see* Pavlichenkov A V 1898
Shah S G, Patel M M and Darji A B: a new band system of molecular BaI in the region λ4300–λ4500Å L191
Shakeshaft R: low energy scattering by the r^{-3} potential L115
Shakeshaft R: formulation of the impact parameter method for general atom–atom collisions 559
Shakeshaft R and Macek J: a note on the scattering matrix in the impact parameter approximation L63
Sharma C S and Bowtell G: the exact evaluation of certain partial sums of the second order energies of atoms: I. The ground and the singly excited states 1062
Sharma C S: *see* Rebelo I 1286
Sheorey V B: *see* Gerjuoy E 321
Shimizu S: *see* Kobayashi T L211
Shobha P: *see* Khare S P 1938
Sidis V: some energy curves of ArH^+ and their use in the study of scattering of H^+ by Ar 1517
Sil N C: *see* Chaudhuri J 525
Silverman M P and Pipkin F M: interaction of a decaying atom with a linearly polarized oscillating field 1844
Silverman M P and Pipkin F M: radiation damping of atomic states in the presence of an external time dependent potential 2236
Simpson F R and Gilbody H B: electron detachment in collisions involving 4–30 keV He^- and H^- ions 1959
Simpson F R: *see* Gilbody H B L101
Singh S and Singh Y: preaveraged potential model and equilibrium properties of polar gases 2039
Singh Y: *see* Singh S 2039
Slanger T G and Black G: relative electronic transition moments for the triplet system ($d^3\Delta$–$a^3\Pi$) of CO 1988
Soole B W: the effect of target absorption on the attenuation characteristics of bremsstrahlung generated at constant medium potentials 1583
Smith A C H: *see* Allison W 1175
Smith D, Dean A G and Plumb I C: three-body conversion reactions in pure rare gases 2134
Smith D: *see* Plumb I C 1762
Smith E W, Cooper J and Vidal C R: comments on the validity of the unified classical path theory of stark broadening L33

Smith F J: *see* Mason E A 169
Smith G: collision broadening and shift in the resonance line of calcium 2310
Smith T S: *see* Kastner S 1351
Snyder R: a formular for relativistic atomic energies: II 934
Snyder R: Z-expansion coefficients and the number of electrons L147
Solt G and Kollár J: approximate analytical wavefunctions for the iron group elements L124
Srivastava A K: *see* Gupta S P 250
Srivastava M P: *see* Grover P S 609
Srivastava S L: *see* Pandey P C 997
Srivastava S L: *see* Pandey P C 1427
Srivastava S L: *see* Pandey P C 2074
Stagat R W: *see* Nuttall J L51
Stenholm S: saturation effects in RF spectroscopy: I. General theory 878
Stenholm S: saturation effects in RF spectroscopy: II. Multiple quantum transitions 890
Stewart A L: *see* Devine K R 432
Stewart A L: *see* Devine K R 2182
Stewart P K: *see* Francey J L A 2025
Stingl E: the ionization of boron and the isoelectronic ions carbon II, nitrogen III, and oxygen IV by electron impact 1160
Stingle E: the effect of correlation in the target wavefunctions of the ionization on helium 1688
Story I C: *see* Parsons R W 1221
Sullivan J, Coleman J P and Bransden B H: the use of second order potentials in the theory of the scattering of charged particle by atoms: III. A four-channel approximation for electron and proton scattering by hydrogen atoms 2061
Sullivan J: *see* Bransden B H 546
Suoninen E: *see* Kortela E-K 2032
Sutton A: *see* Banyard K E 773

Tagashira H: *see* Sakai Y 1010
Tait A D: *see* Banyard K E L160
Tawde N R and Tulasigeri V G: Franck–Condon factors and r centroids of the $^2\Sigma^+ - x\,^2\Sigma^+$ band system of AlO using RKR potentials 1681
Teubner P J O: *see* Lloyd C R L44
Teubner P J O: *see* Lloyd C R 1712
Thareja R K: *see* Mohan M L134
Thomas B K: *see* Gerjuoy E 321
Thomas M A and Humberston J W: the polarization of helium L229
Thompson M W: *see* Foster C L140
Thompson M W: *see* Foster C 1332
Tiwari P: *see* Ojha S P 2231
Tran-Minh N and Van Regemorter H: quantum theory of Stark broadening by electrons 903
Tripathi A N: *see* Mathur K C 1529
Trivedi V M and Gohel V B: dissociation energy of the IO molecule L38
Tsongas G A, Koutsoyannis S P and Karmacheti K: experimental determination of the Lennard-Jones constants of the 1·15μm ($2p_4$–$2s_2$) transition of neon 22 397
Tulasigeri V G: *see* Tawde N R 1681
helium-like atomic systems 810
Tweed R J: analytic integrals for collision theory 820

Upadhya K N: *see* Rai S B 1038
Urata N and Watanabe T: reply to the comment on Pradhan's impulse approximation L49

Van Regemorter H: *see* Tran-Minh N 903
Van Regemorter H: *see* Vo Ky Lan 1506
Varshni Y P and Lam C S: wavefunction for the hydrogen molecular ion 1833
Veseth L: fine structure of $^3\Pi$ and $^3\Sigma^-$ states in diatomic molecules 229
Veseth L: information from local perturbations in the spectra of diatomic molecules: the $A^3\Pi - b^1\Sigma^+$ perturbation of OH^+ 2168
Vidal C R: *see* Smith E W L33
Vo Ky Lan: polarized pseudo state calculations for a complex atom 242
Vo Ky Lan, Feautrier N, Le Dourneuf M and Regemorter H: cross sections calculations for electron–oxygen scattering using the polarized orbital close coupling theory 1506
Vo Ky Lan: *see* Le Dourneuf M L87
Vujović M, Matić M, Čobić B and Gordeev Yu S: attenuation method for fast ion beams: metastable state population and cross section measurements 2085

Wade C: *see* Kastner S 1351
Walker T E H: *see* Hinkley R K 204
Walker T E H: *see* Hinkley R K 2016
Wallace J B G: *see* Humberston J W 1138
Watanabe T: *see* Urata N L49
Watson K M: *see* Chen J C Y L205
Watson W S: photoionization of helium, neon and argon in the 60–230 eV photon energy range 2292
Weigold E: *see* Lloyd C R L44
Weigold E: *see* Lloyd C R 1712
Wendin G: collective effects in atomic photoabsorption spectra: II. $5p^6$ shell in Xe 110
Wherrett S R: *see* Marr G V 1735
White R J: *see* March N H 466
Williams A R: *see* John T L 1662
Williams O M: *see* Corney A 686
Williams O M: *see* Sandle W J 987
Willmann K: *see* Ehrhardt H 1559
Willmann K: *see* Ehrhardt H 2107
Wilson I H: *see* Foster C L140

Wilson I H: *see* Foster C 1332
Wilson M: *Ab initio* calculation of core relaxation and screening effects on $\psi(O)^2$ for Sm and Eu 218
Wilson P M H: *see* Seaton M J L1
Wilson P M H: *see* Seaton M J L175
Wolter H H: *see* Moore C F L253
Woollings M J: collisions of fast electrons with helium: II. Identities satisfied by the second Born scattering amplitude L164
Woollings M J and McDowell M R C: collisions of fast electrons with helium: I. Various forms of the second Born approximation 1320
Wuilleumier F: *see* Krause M O L143
Wykes J: the variation with electron scattering angle of the polarization of atomic line radiation excited by electron impact 1126

Ya'akobi B, George E V, Bekefi G and Hawryluk R J: stark profiles of forbidden and allowed transitions in a dense laser produced plasma 1017
Yates A C: *see* Langhoff P W 1071
Yee K K: *see* Barrow R F L172
Yoshino K: *see* Carroll P K 1614

Zankel K: collisions in a parallel atomic beam 74

BLANK
PAGE